

Description

Fastener Length: 23/32", Thread: 1/4-20, Thread Length: 19/32",

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

| | |
|-------------------------|---|
| SKU / Model: | MS907286 |
| Minimum Qty (MOQ): | 100 |
| NSN: | 5305-00-068-0508 |
| Schedule B: | 7318.15.6080 |
| ECCN: | EAR99 |
| National Motor Freight: | 093486, Bolts,nuts Or Screws, Noi (sub 3) |



* See page 2 for technical characteristics

P/N MS90728-6 Specifications

| | |
|--|---|
| Thread Class: | 2a |
| Thread Direction: | Right-hand |
| Thread Length: | 0.594 Inches Minimum And 0.750 Inches Maximum |
| Fastener Length: | 0.719 Inches Minimum And 0.750 Inches Maximum |
| Head Style: | Hexagon |
| Head Height: | 0.150 Inches Minimum And 0.163 Inches Maximum |
| Width Between Flats: | 0.428 Inches Minimum And 0.438 Inches Maximum |
| End Item Identification: | Mrap Buffalo Mk2a2 |
| End Item Identification: | Mrap - Buffalo Mk2a2;mrapp - M-atv With Cs13 Pop And Sne; Mrap - M-atv Ui; Mrap - Cougar Tow |
| Nominal Thread Diameter: | 0.250 Inches |
| Thread Quantity Per Inch: | 20 |
| Minimum Tensile Strength: | 150000 Pounds Per Square Inch |
| Criticality Code Justification: | Feat |
| Surface Finish: | 63.0 Microinches Threads |
| Special Features: | Weapon System Essential |
| Material: | Steel Comp 1013 Or Steel Comp 1015 Or Steel Comp 1016 Or Steel Comp 1017 Or Steel Comp 1018 Or Steel Comp 1019 Or Steel Comp 1020 Or Steel Comp 1021 Or Steel Comp 1022 Or Steel Comp 1023 Or Steel Comp 1524 Or Steel Comp 1025 Or Steel Comp 1026 Or Steel Comp 1527 Or Steel Comp 1029 Or Steel Comp 1030 Or Steel Comp 1033 Or Steel Comp 1034 Or Steel Comp 1035 Or Steel Comp 1536 Or Steel Comp 1037 Or Steel Comp 1038 Or Steel Comp 1039 Or Steel Comp 1040 Or Steel Comp 1541 Overall |
| Material Document And Classification: | 66 Fed Std All Material Responses Overall |
| Surface Treatment: | Zinc And Chromate Overall |
| Surface Treatment Document And Classification: | Astm B633 Ty 2 Sc 3 Assn Std Single Treatment Response Overall |
| Thread Series Designator: | Unc |

How to Order

Order this hexagon head cap screw from our inventory online by visiting <https://military-fasteners.com/screws/hexagon+head+cap+screws/MS90728-6> and

selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.