

# P/N MS9320-17

### **Description**

Hole Diameter: 3/4", Diameter: 1-1/2", Thickness: 11/64

\* Manufacturer certifications are shipped with your order <u>FREE</u> of charge

## Order this part online

#### **Additional Information**

SKU / Model:	MS932017
Minimum Qty (MOQ):	5
NSN:	5310-00-953-8703
Schedule B:	7318.22.0000
ECCN:	EAR99
National Motor Freight:	194160, Washer Or Gaskets, Iron Or Steel,



<sup>\*</sup> See page 2 for technical characteristics

# P/N MS9320-17 Specifications

Cross-sectional Shape Style:	Rectangular
Hole Diameter:	0.750 Inches Nominal
Peripheral Shape Style:	Round
Center Hole Shape Style:	1 Round
Thickness:	0.172 Inches Nominal
Overall Diameter:	1.500 Inches Nominal
Surface Finish:	63.0 Microinches Bottom
Surface Finish:	63.0 Microinches Top
Material:	Steel Comp 4130 Overall
Material Document And Classification:	Ams 6350 Assn Std Single Material Response Overall
Surface Treatment:	Nickel Overall And Cadmium Overall
Surface Treatment Document And Classification:	Ams 2416 Assn Std Single Treatment Response Overall

# **How to Order**

Order this flat washer from our inventory online by visiting <a href="https://military-fasteners.com/washers/flat+washers/MS9320-17">https://military-fasteners.com/washers/flat+washers/MS9320-17</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/washers/flat+washers/MS9320-17">https://military-fasteners.com/washers/flat+washers/MS9320-17</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/washers/flat+washers/MS9320-17">https://military-fasteners.com/washers/flat+washers/MS9320-17</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/washers/flat+washers/MS9320-17">https://military-fasteners.com/washers/flat+washers/MS9320-17</a> and selecting the quantity you want then