

**Description**

Diameter: 13/64", aluminum alloy

\* Manufacturer certifications are shipped with your order FREE of charge[Order this part online](#)**Additional Information**

|                         |                                    |
|-------------------------|------------------------------------|
| SKU / Model:            | MS935315                           |
| Minimum Qty (MOQ):      | 20                                 |
| NSN:                    | 5340-01-286-3543                   |
| Schedule B:             | 7616.10.1000                       |
| ECCN:                   | EAR99                              |
| National Motor Freight: | 013120, Aluminum Article Noi Sub 6 |



\* See page 2 for technical characteristics

## P/N MS9353-15 Specifications

|  |  |
|--|--|
| <b>Tongue Hole Type:</b>   | Round, Unthreaded                                  |
| <b>Overall Width:</b>  | 0.484 Inches Minimum And 0.516 Inches Maximum      |
| <b>Diameter:</b>   | 0.199 Inches Minimum And 0.209 Inches Maximum      |
| <b>Material Thickness:</b>                                       | 0.046 Inches Minimum And 0.056 Inches Maximum      |
| <b>Center To Center Distance Between Loop And Mounting Hole:</b> | 0.898 Inches Minimum And 0.918 Inches Maximum      |
| <b>Distance From Loop Center To Tongue End:</b>                  | 1.121 Inches Minimum And 1.131 Inches Maximum      |
| <b>Loop Inside Diameter:</b>                                     | 1.000 Inches Nominal                               |
| <b>Material:</b>   | Aluminum Alloy 2024 Overall                        |
| <b>Material Document And Classification:</b>                     | Ams 4041 Assn Std Single Material Response Overall |
| <b>Style Designator:</b>   | Single Loop  |

## How to Order

Order this loop clamp from our inventory online by visiting <https://military-fasteners.com/clamps/loop+clamps/MS9353-15> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.