

P/N MS9575-33

Description

Fastener Length: 2-5/8", Hole Diameter: 1/16", Thread: 1/4-28, Thread Length: 13/16"

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

SKU / Model:	MS957533
Minimum Qty (MOQ):	10 EA
NSN:	5306-01-185-4588
Schedule B:	7318.15.8085
ECCN:	EAR99
National Motor Freight:	093486 Rolts nuts Or Screws Noi (sub 3)



^{*} See page 2 for technical characteristics

P/N MS9575-33 Specifications

hread Class:	3a
hread Direction:	Right-hand
hread Length:	0.740 Inches Minimum And 0.820 Inches Maximum
astener Length:	2.615 Inches Minimum And 2.635 Inches Maximum
ead Style:	Double Hexagon W/hole
ead Height:	0.290 Inches Minimum And 0.310 Inches Maximum
/idth Between Flats:	0.312 Inches Nominal
xtended Washer Diameter:	0.428 Inches Minimum And 0.448 Inches Maximum
xtended Washer Thickness:	0.060 Inches Nominal
ole Diameter:	0.070 Inches Nominal
ominal Thread Diameter:	0.250 Inches
ole Quantity:	4
ole Type:	Drilled
eatures Provided:	Finished Head
hread Quantity Per Inch:	28
linimum Tensile Strength:	130000 Pounds Per Square Inch
ardness Rating:	24.0 Rockwell C Minimum Overall And 35.0 Rockwell C Maximum Overall
linimum Yield Strength:	85000 Pounds Per Square Inch
ole Configuration Style:	Double Hexagon Longitudinal Hole
urface Finish:	32.0 Microinches Bearing Surface Of Head
urface Finish:	32.0 Microinches Grip
urface Finish:	32.0 Microinches Threads
laterial:	Iron Alloy 660 Overall
laterial Document And Classification:	Ams5731 Assn Std Single Material Response Overall
recious Material And Location:	Overall Silver
recious Material:	Silver
urface Treatment:	Silver Overall
urface Treatment Document And Classification:	Ams2411 Assn Std Single Treatment Response Overall
hread Series Designator:	

How to Order Order this bolt from our inventory online by visiting https://military-fasteners.com/bolts/machine+bolts/MS9575-33 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out here to complete your order.