

**Description**

90 degree angle, MS9592 series bracket

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

**Additional Information**

|                         |                             |
|-------------------------|-----------------------------|
| SKU / Model:            | MS9592058                   |
| Minimum Qty (MOQ):      | 20                          |
| NSN:                    | 5340-01-337-9732            |
| Schedule B:             | 8302.42.3065                |
| ECCN:                   | 9A991                       |
| National Motor Freight: | 095190, Hardware, Noi Sub 9 |

NO IMAGE  
AVAILABLE

## P/N MS9592-058 Specifications

|   |   |
|---|---|
| <b>First Leg Length:</b>  | 0.700 Inches Nominal                          |
| <b>Second Leg Length:</b>   | 1.440 Inches Minimum And 1.460 Inches Maximum |
| <b>Second Leg Width:</b>  | 0.490 Inches Minimum And 0.510 Inches Maximum |
| <b>First Leg Hole Diameter:</b>                                   | 0.200 Inches Minimum And 0.210 Inches Maximum |
| <b>Second Leg Hole Diameter:</b>                                  | 0.200 Inches Minimum And 0.210 Inches Maximum |
| <b>Second Leg Distance From Edge To Hole Center Along Width:</b>  | 0.195 Inches Minimum And 0.205 Inches Maximum |
| <b>Second Leg Distance From Edge To Hole Center Along Length:</b> | 0.245 Inches Minimum And 0.255 Inches Maximum |
| <b>First Leg Thickness:</b>                                       | 0.056 Inches Minimum And 0.068 Inches Maximum |
| <b>Second Leg Thickness:</b>                                      | 0.056 Inches Minimum And 0.068 Inches Maximum |
| <b>First Leg Width:</b>   | 0.490 Inches Minimum And 0.510 Inches Maximum |
| <b>First Leg Distance From Edge To Hole Center Along Width:</b>   | 0.195 Inches Minimum And 0.205 Inches Maximum |
| <b>First Leg Distance From Edge To Hole Center Along Length:</b>  | 0.245 Inches Minimum And 0.255 Inches Maximum |
| <b>First Leg End Radius:</b>                                      | 0.500 Inches Nominal                          |
| <b>Second Leg End Radius:</b>                                     | 0.490 Inches Minimum And 0.510 Inches Maximum |
| <b>First Leg Style:</b>   | End Radius                                    |
| <b>First Leg Hole Arrangement Style:</b>                          | One Hole                                      |
| <b>Second Leg Style:</b>  | End Radius                                    |
| <b>Second Leg Hole Arrangement Style:</b>                         | One Hole                                      |
| <b>Second Leg Relationship To First Leg:</b>                      | Not Identical                                 |
| <b>First Leg Angle:</b>   | 90.0 Degrees Nominal                          |
| <b>Material:</b>  | Steel Corrosion Resisting                     |
| <b>Material Document And Classification:</b>                      | Ams5510 Assn Std Single Material Response     |
| <b>Style Designator:</b>  | Angle   |
| <b>Specification/standard Data:</b>                               | 96906-ms9592 Government Standard              |

## How to Order

Order this angle bracket from our inventory online by visiting <https://military-fasteners.com/shop+supplies/angle+brackets/MS9592-058> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.