

## P/N NAS1033A08

## **Description**

NAS1033A08 Self-Locking Nutplate

\* Manufacturer certifications are shipped with your order EREE of charge

## Order this part online

#### **Additional Information**

SKU / Model: NAS1033A08

Minimum Qty (MOQ):

NSN: 5310-00-801-4406

ECCN: EAR99

National Motor Freight: 093486, Bolts, nuts Or Screws, Noi (sub 3)



<sup>\*</sup> See page 2 for technical characteristics

# P/N NAS1033A08 Specifications

Thread Class: 3b	
Thread Direction: Right-hand	
Locking Feature: Prevailing Torque All Metal Design	
Mounting Hole Diameter: 0.098 Inches Minimum And 0.103 Inches Maximum	
Nut Style: Plate	
Nut Length: 0.906 Inches Maximum	
Distance From Base To Center Of Aperture: 0.266 Inches Minimum And 0.296 Inches Maximum	
Nut Height: 0.343 Inches Maximum	
Plate Thickness: 0.075 Inches Maximum	
Plate Width: 0.619 Inches Maximum	
Nut Mounting Provision: Straight Holes	
Mounting Hole Arrangement Style: 2 Holes	
Distance From Mounting Hole Center To Base: 0.172 Inches Nominal	
Center To Center Distance Between Mounting Holes Along Length:  0.248 Inches Minimum And 0.252 Inches Maximum	
Temp Rating: 450.0 Deg Fahrenheit Nominal	
Thread Series: Unjc	
Features Provided: Floating Nut	
Thread Quantity Per Inch: 32	
Nominal Thread Size: 0.164 Inches	
Material: Steel Overall	
Surface Treatment: Cadmium Overall	
Surface Treatment Document And Classification:  Qq-p-416,type 2,class 1 Fed Spec Single Treatment Response Overall Or Qq-p-416,type 2,class 2 Fed Streatment Response Overall Or Qq-p-416,type 2,class 3 Fed Spec Single Treatment Response Overall Or Qq-p-416,type 2,class 3 Fed Spec Single Treatment Response Overall Or Qq-p-416,type 2,class 3 Fed Spec Single Treatment Response Overall Or Qq-p-416,type 2,class 3 Fed Spec Single Treatment Response Overall Or Qq-p-416,type 2,class 3 Fed Spec Single Treatment Response Overall Or Qq-p-416,type 2,class 3 Fed Spec Single Treatment Response Overall Or Qq-p-416,type 2,class 3 Fed Spec Single Treatment Response Overall Or Qq-p-416,type 2,class 3 Fed Spec Single Treatment Response Overall Or Qq-p-416,type 2,class 3 Fed Spec Single Treatment Response Overall Or Qq-p-416,type 2,class 3 Fed Spec Single Treatment Response Overall Or Qq-p-416,type 2,class 3 Fed Spec Single Treatment Response Overall Or Qq-p-416,type 2,class 3 Fed Spec Single Treatment Response Overall Or Qq-p-416,type 2,class 3 Fed Spec Single Treatment Response Overall Or Qq-p-416,type 2,class 3 Fed Spec Single Treatment Response Overall Or Qq-p-416,type 2,class 3 Fed Spec Single Treatment Response Overall Or Qq-p-416,type 3 Fed Spec Single Treatment Response Overall Or Qq-p-416,type 3 Fed Spec Single Treatment Response Overall Or Qq-p-416,type 3 Fed Spec Single Treatment Response Overall Or Qq-p-416,type 3 Fed Spec Single Treatment Response Overall Or Qq-p-416,type 3 Fed Spec Single Treatment Response Overall Or Qq-p-416,type 3 Fed Spec Single Treatment Response Overall Or Qq-p-416,type 3 Fed Spec Single Treatment Response Overall Or Qq-p-416,type 3 Fed Spec Single Treatment Response Overall Or Qq-p-416,type 3 Fed Spec Single Treatment Response Overall Or Qq-p-416,type 3 Fed Spec Single Treatment Response Overall Or Qq-p-416,type 3 Fed Spec Single Treatment Response Overall Or Qq-p-416,type 3 Fed Spec Single Treatment Response Overall Or Qq-p-416,type 3 Fed Spec Single Treatment Response Overall Or Qq-p-416,type	pec Single

### **How to Order**

Order this self-locking nutplate from our inventory online by visiting <a href="https://military-fasteners.com/nuts/self\_locking+nutplates/NAS1033A08">https://military-fasteners.com/nuts/self\_locking+nutplates/NAS1033A08</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/nuts/self\_locking+nutplates/NAS1033A08">https://military-fasteners.com/nuts/self\_locking+nutplates/NAS1033A08</a> and selecting the