

## P/N NAS1101-08-7B

### **Description**

Screw part number

\* Manufacturer certifications are shipped with your order FREE of charge

## Order this part online

#### **Additional Information**

SKU / Model: NAS1101087B

Minimum Qty (MOQ): 10 EA

NSN: 5305-01-612-6395

Schedule B: 7318.15.6080

ECCN: EAR99

National Motor Freight: 096640, Screws, Iron Or Steel



<sup>\*</sup> See page 2 for technical characteristics

# P/N NAS1101-08-7B Specifications

Thread Class:	3a
Thread Direction:	Right-hand
Thread Length:	0.469 Inches Minimum And 0.500 Inches Maximum
Fastener Length:	0.469 Inches Minimum And 0.500 Inches Maximum
Head Style:	Flat Fillister
Head Diameter:	0.265 Inches Minimum And 0.270 Inches Maximum
Head Height:	0.088 Inches Minimum And 0.102 Inches Maximum
Internal Drive Style:	Torque Set
Nominal Thread Diameter:	0.1640 Inches
Thread Quantity Per Inch:	32
Minimum Tensile Strength:	2240 Pounds Per Square Inch
Part Name Assigned By Controlling Agency:	Screw, Machine-flat Fillister Head, Full Thread, Offset Cruciform
Screw Material:	Steel Comp 4140 Or Steel Comp 4340 Or Steel Comp 8740 Or Steel Comp E4340
Screw Material Document And Classification:	Mil-s-5626 Mil Spec Single Material Response Or Ams6415 Assn Std Single Material Response Or Mil-s-5000 Mil Spec Single Material Response Or Mil-s-6049 Mil Spec Single Material Response
Bearing Surface Of Head Surface Treatment:	Cadmium And Chromate
Head Surface Treatment:	Cadmium And Chromate
Screw Surface Treatment:	Cadmium And Chromate
Shank Surface Treatment:	Cadmium And Chromate
Bearing Surface Of Head Surface Treatment Document And Classification:	Qq-p-416, Type 2, Class 2 Fed Spec All Treatment Responses
Head Surface Treatment Document And Classification:	Qq-p-416, Type 2, Class 2 Fed Spec All Treatment Responses
Screw Surface Treatment Document And Classification:	Qq-p-416, Type 2, Class 2 Fed Spec All Treatment Responses
Shank Surface Treatment Document And Classification:	Qq-p-416, Type 2, Class 2 Fed Spec All Treatment Responses
Color:	Black
Thread Series Designator:	Unjc

# **How to Order**

