

P/N NAS1297-3D4

Military-Fasteners.com

Description

Fastener Length: 5/8", Thread: 10-32, Thread Length: 11/32"

* Manufacturer certifications are shipped with your order <u>FREE</u> of charge

Order this part online

Additional Information

SKU / Model:	NAS12973D4
Minimum Qty (MOQ):	5 EA
NSN:	5306-01-110-9312
Schedule B:	7318.15.8085
ECCN:	9A991
National Motor Freight:	093486, Bolts,nuts Or Screws, Noi (sub 3)



P/N NAS1297-3D4 Specifications

За
Right-hand
0.342 Inches Minimum And 0.392 Inches Maximum
0.612 Inches Minimum And 0.652 Inches Maximum
Hexagon
0.140 Inches Minimum And 0.172 Inches Maximum
0.428 Inches Minimum And 0.440 Inches Maximum
0.246 Inches Minimum First Shoulder And 0.249 Inches Maximum First Shoulder
0.260 Inches Minimum First Shoulder And 0.270 Inches Maximum First Shoulder
0.060 Inches Minimum First Hole And 0.080 Inches Maximum First Hole
0.190 Inches
32
125000 Pounds Per Square Inch
0.439 Inches Minimum First Hole And 0.499 Inches Maximum First Hole
Round First Shoulder
Steel Comp 4037 Overall Or Steel Comp 4130 Overall Or Steel Comp 4140 Overall Or Steel Comp 8630 Overall Or Steel Comp 8735 Overall Or Steel Comp 8740 Overall
Cadmium Overall And Chromate Overall
Qq-p-416,type 2,class 2 Fed Spec Single Treatment Response Overall
Unc
80205-nas1297 Professional/industrial Association Standard

How to Order

Order this bolt from our inventory online by visiting <u>https://military-fasteners.com/bolts/shoulder+bolts/NAS1297-3D4</u> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <u>here</u> to complete your order.