

Description

NAS1301C4-6 Assembled Washer Screw

* Manufacturer certifications are shipped with your order FREE of charge[Order this part online](#)**Additional Information**

SKU / Model:	NAS1301C46
Minimum Qty (MOQ):	20
NSN:	5305-01-107-3529
Schedule B:	7318.15.2000
ECCN:	EAR99
National Motor Freight:	093486, Bolts,nuts Or Screws, Noi (sub 3)

NO IMAGE
AVAILABLE

* See page 2 for technical characteristics

P/N NAS1301C4-6 Specifications

Thread Class:	2a
Thread Direction:	Right-hand
Thread Length:	0.299 Inches Minimum
Fastener Length:	0.343 Inches Minimum And 0.375 Inches Maximum
Head Style:	Pan
Head Diameter:	0.205 Inches Minimum And 0.219 Inches Maximum
Head Height:	0.078 Inches Minimum And 0.080 Inches Maximum
Washer Quantity:	2
Internal Drive Style:	Cross Recess Type 1
Nominal Thread Diameter:	0.112 Inches
Thread Quantity Per Inch:	40
Hardness Rating:	35.0 Rockwell C Minimum Primary Washer And 43.0 Rockwell C Maximum Primary Washer
Secondary Washer Relationship To Primary Washer:	Not Identical
Secondary Washer Style:	Flat
Primary Washer Outside Diameter:	0.209 Inches Maximum
Secondary Washer Outside Diameter:	0.213 Inches Minimum And 0.223 Inches Maximum
Primary Washer Style:	Split Helical Ring
Primary Washer Material Thickness:	0.025 Inches Minimum
Secondary Washer Material Thickness:	0.013 Inches Minimum And 0.019 Inches Maximum
Material:	Steel Comp 301 Secondary Washer Or Steel Comp 302 Secondary Washer Or Steel Comp 304 Secondary Washer Or Steel Comp 316 Secondary Washer Or Steel Comp 321 Secondary Washer Or Steel Comp 347 Secondary Washer Or Steel Comp 348 Secondary Washer
Material:	Steel Comp 301 Overall Or Steel Comp 302 Overall Or Steel Comp 302b Overall Or Steel Comp 303 Overall Or Steel Comp 303se Overall Or Steel Comp 304 Overall Or Steel Comp 304l Overall Or Steel Comp 305 Overall Or Steel Comp 308 Overall Or Steel Comp 309 Overall Or Steel Comp 309s Overall Or Steel Comp 310 Overall Or Steel Comp 310s Overall Or Steel Comp 314 Overall Or Steel Comp 316 Overall Or Steel Comp 316l Overall Or Steel Comp 317 Overall Or Steel Comp 321 Overall Or Steel Comp 347 Overall Or Steel Comp 348 Overall Or Steel Comp 384 Overall Or Steel Comp 385 Overall
Material:	Steel Comp 430 Fastener Or Steel Comp 302 Fastener Or Steel Comp 303se Fastener

Material Document And Classification:	66 Fed Std All Material Responses Primary Washer
Material Document And Classification:	Mil-s-5059 Mil Spec 1st Material Response Secondary Washer Or Mil-s-5059 Mil Spec 2nd Material Response Secondary Washer Or Mil-s-5059 Mil Spec 3rd Material Response Secondary Washer Or Mil-s-5059 Mil Spec 4th Material Response Secondary Washer Or Mil-s-6721 Mil Spec 5th Material Response Secondary Washer Or Mil-s-6721 Mil Spec 6th Material Response Secondary Washer Or Mil-s-6721 Mil Spec 7th Material Response Secondary Washer
Material Document And Classification:	Qq-s-763 Fed Spec 1st Material Response Fastener Or Mil-s-7720 Mil Spec 2nd Material Response Fastener Or Astm A582 Assn Std 3rd Material Response Fastener
Surface Treatment:	Passivate Fastener
Surface Treatment:	Passivate Primary Washer
Surface Treatment:	Passivate Secondary Washer
Surface Treatment Document And Classification:	Qq-p-35 Fed Spec Single Treatment Response Primary Washer
Thread Series Designator:	Unc
Specification/standard Data:	80205-nas1301 Professional/Industrial Association Standard

How to Order

Order this assembled washer screw from our inventory online by visiting <https://military-fasteners.com/screws/assembled+washer+screws/NAS1301C4-6> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.