

Description

NAS1301C4-6 Assembled Washer Screw

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

| | |
|-------------------------|---|
| SKU / Model: | NAS1301C46 |
| Minimum Qty (MOQ): | 20 |
| NSN: | 5305-01-107-3529 |
| Schedule B: | 7318.15.2000 |
| ECCN: | EAR99 |
| National Motor Freight: | 093486, Bolts,nuts Or Screws, Noi (sub 3) |



* See page 2 for technical characteristics

P/N NAS1301C4-6 Specifications

| | |
|--|---|
| Thread Class: | 2a |
| Thread Direction: | Right-hand |
| Thread Length: | 0.299 Inches Minimum |
| Fastener Length: | 0.343 Inches Minimum And 0.375 Inches Maximum |
| Head Style: | Pan |
| Head Diameter: | 0.205 Inches Minimum And 0.219 Inches Maximum |
| Head Height: | 0.078 Inches Minimum And 0.080 Inches Maximum |
| Washer Quantity: | 2 |
| Internal Drive Style: | Cross Recess Type 1 |
| Nominal Thread Diameter: | 0.112 Inches |
| Thread Quantity Per Inch: | 40 |
| Hardness Rating: | 35.0 Rockwell C Minimum Primary Washer And 43.0 Rockwell C Maximum Primary Washer |
| Secondary Washer Relationship To Primary Washer: | Not Identical |
| Secondary Washer Style: | Flat |
| Primary Washer Outside Diameter: | 0.209 Inches Maximum |
| Secondary Washer Outside Diameter: | 0.213 Inches Minimum And 0.223 Inches Maximum |
| Primary Washer Style: | Split Helical Ring |
| Primary Washer Material Thickness: | 0.025 Inches Minimum |
| Secondary Washer Material Thickness: | 0.013 Inches Minimum And 0.019 Inches Maximum |
| Material: | Steel Comp 301 Secondary Washer Or Steel Comp 302 Secondary Washer Or Steel Comp 304 Secondary Washer Or Steel Comp 316 Secondary Washer Or Steel Comp 321 Secondary Washer Or Steel Comp 347 Secondary Washer Or Steel Comp 348 Secondary Washer |
| Material: | Steel Comp 301 Overall Or Steel Comp 302 Overall Or Steel Comp 302b Overall Or Steel Comp 303 Overall Or Steel Comp 303se Overall Or Steel Comp 304 Overall Or Steel Comp 304l Overall Or Steel Comp 305 Overall Or Steel Comp 308 Overall Or Steel Comp 309 Overall Or Steel Comp 309s Overall Or Steel Comp 310 Overall Or Steel Comp 310s Overall Or Steel Comp 314 Overall Or Steel Comp 316 Overall Or Steel Comp 316l Overall Or Steel Comp 317 Overall Or Steel Comp 321 Overall Or Steel Comp 347 Overall Or Steel Comp 348 Overall Or Steel Comp 384 Overall Or Steel Comp 385 Overall |
| Material: | Steel Comp 430 Fastener Or Steel Comp 302 Fastener Or Steel Comp 303se Fastener |

| | |
|---|--|
| Material Document And Classification: | 66 Fed Std All Material Responses Primary Washer |
| Material Document And Classification: | Mil-s-5059 Mil Spec 1st Material Response Secondary Washer Or Mil-s-5059 Mil Spec 2nd Material Response Secondary Washer Or Mil-s-5059 Mil Spec 3rd Material Response Secondary Washer Or Mil-s-5059 Mil Spec 4th Material Response Secondary Washer Or Mil-s-6721 Mil Spec 5th Material Response Secondary Washer Or Mil-s-6721 Mil Spec 6th Material Response Secondary Washer Or Mil-s-6721 Mil Spec 7th Material Response Secondary Washer |
| Material Document And Classification: | Qq-s-763 Fed Spec 1st Material Response Fastener Or Mil-s-7720 Mil Spec 2nd Material Response Fastener Or Astm A582 Assn Std 3rd Material Response Fastener |
| Surface Treatment: | Passivate Fastener |
| Surface Treatment: | Passivate Primary Washer |
| Surface Treatment: | Passivate Secondary Washer |
| Surface Treatment Document And Classification: | Qq-p-35 Fed Spec Single Treatment Response Primary Washer |
| Thread Series Designator: | Unc |
| Specification/standard Data: | 80205-nas1301 Professional/industrial Association Standard |

How to Order

Order this assembled washer screw from our inventory online by visiting <https://military-fasteners.com/screws/assembled+washer+screws/NAS1301C4-6> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.