

Description

NAS1301C6-8 Assembled Washer Screw

* Manufacturer certifications are shipped with your order FREE of charge[Order this part online](#)**Additional Information**

| | |
|-------------------------|---|
| SKU / Model: | NAS1301C68 |
| Minimum Qty (MOQ): | 100 |
| NSN: | 5305-01-142-9909 |
| ECCN: | EAR99 |
| National Motor Freight: | 093486, Bolts,nuts Or Screws, Noi (sub 3) |



NO IMAGE
AVAILABLE

P/N NAS1301C6-8 Specifications

| | |
|---|---|
| Thread Class: | 2a |
| Thread Direction: | Right-hand |
| Thread Length: | 0.375 Inches Minimum |
| Fastener Length: | 0.468 Inches Minimum And 0.500 Inches Maximum |
| Head Style: | Pan |
| Head Diameter: | 0.256 Inches Minimum And 0.270 Inches Maximum |
| Head Height: | 0.087 Inches Minimum And 0.097 Inches Maximum |
| Washer Quantity: | 2 |
| Internal Drive Style: | Cross Recess Type 1 |
| Nominal Thread Diameter: | 0.138 Inches |
| Thread Quantity Per Inch: | 32 |
| Hardness Rating: | 35.0 Rockwell C Minimum Primary Washer And 43.0 Rockwell C Maximum Primary Washer |
| Secondary Washer Relationship To Primary Washer: | Not Identical |
| Secondary Washer Style: | Flat |
| Primary Washer Outside Diameter: | 0.250 Inches Maximum |
| Secondary Washer Outside Diameter: | 0.253 Inches Minimum And 0.263 Inches Maximum |
| Primary Washer Style: | Split Helical Ring |
| Primary Washer Material Thickness: | 0.031 Inches Minimum |
| Secondary Washer Material Thickness: | 0.013 Inches Minimum And 0.019 Inches Maximum |
| Material: | Steel Comp 301 Primary Washer Or Steel Comp 302 Primary Washer Or Steel Comp 302b Primary Washer Or Steel Comp 303 Primary Washer Or Steel Comp 303se Primary Washer Or Steel Comp 304 Primary Washer Or Steel Comp 304l Primary Washer Or Steel Comp 305 Primary Washer Or Steel Comp 308 Primary Washer Or Steel Comp 309 Primary Washer Or Steel Comp 309s Primary Washer Or Steel Comp 310 Primary Washer Or Steel Comp 310s Primary Washer Or Steel Comp 314 Primary Washer Or Steel Comp 316 Primary Washer Or Steel Comp 316l Primary Washer Or Steel Comp 317 Primary Washer Or Steel Comp 321 Primary Washer Or Steel Comp 347 Primary Washer Or Steel Comp 348 Primary Washer Or Steel Comp 384 Primary Washer Or Steel Comp 385 Primary Washer |
| Material: | Steel Comp 301 Secondary Washer Or Steel Comp 302 Secondary Washer Or Steel Comp 304 Secondary Washer Or Steel Comp 316 Secondary Washer Or Steel Comp 321 Secondary Washer Or Steel Comp 347 Secondary Washer Or Steel Comp 348 Secondary Washer |

| | |
|---|--|
| Material: | Steel Comp 303se Fastener Or Steel Comp 302 Fastener Or Steel Comp 303 Fastener Or Steel Comp 430 Fastener |
| Surface Treatment: | Passivate Fastener |
| Surface Treatment: | Passivate Primary Washer |
| Surface Treatment: | Passivate Secondary Washer |
| Surface Treatment Document And Classification: | Qq-p-35 Fed Spec Single Treatment Response Fastener |
| Surface Treatment Document And Classification: | Qq-p-35 Fed Spec Single Treatment Response Primary Washer |
| Surface Treatment Document And Classification: | Qq-p-35 Fed Spec Single Treatment Response Secondary Washer |
| Thread Series Designator: | Unc |
| Specification/standard Data: | 80205-nas1301 Professional/Industrial Association Standard |

How to Order

Order this assembled washer screw from our inventory online by visiting <https://military-fasteners.com/screws/assembled+washer+screws/NAS1301C6-8> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.