

**Description**

Fastener Length: 5/16", Thread: 8-32, Thread Length: 5/16",

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

**Additional Information**

SKU / Model:	NAS1301C85
Minimum Qty (MOQ):	10
NSN:	5305-01-088-7421
ECCN:	EAR99
National Motor Freight:	093486, Bolts,nuts Or Screws, Noi (sub 3)



# P/N NAS1301C8-5 Specifications

Thread Class:	2a
Thread Direction:	Right-hand
Thread Length:	0.171 Inches Minimum And 0.312 Inches Maximum
Fastener Length:	0.280 Inches Minimum And 0.312 Inches Maximum
Head Style:	Pan
Head Diameter:	0.306 Inches Minimum And 0.322 Inches Maximum
Head Height:	0.105 Inches Minimum And 0.115 Inches Maximum
Washer Quantity:	2
Internal Drive Style:	Cross Recess Type 1
Nominal Thread Diameter:	0.164 Inches
Thread Quantity Per Inch:	32
Secondary Washer Relationship To Primary Washer:	Not Identical
Secondary Washer Style:	Flat
Primary Washer Outside Diameter:	0.293 Inches Maximum
Secondary Washer Outside Diameter:	0.307 Inches Minimum And 0.317 Inches Maximum
Primary Washer Style:	Split Helical Ring
Primary Washer Material Thickness:	0.040 Inches Minimum And 0.046 Inches Maximum
Secondary Washer Material Thickness:	0.013 Inches Minimum And 0.019 Inches Maximum
Material:	Steel Comp 301 Primary Washer Or Steel Comp 302 Primary Washer Or Steel Comp 302b Primary Washer Or Steel Comp 303 Primary Washer Or Steel Comp 303se Primary Washer Or Steel Comp 304 Primary Washer Or Steel Comp 304l Primary Washer Or Steel Comp 305 Primary Washer Or Steel Comp 308 Primary Washer Or Steel Comp 309 Primary Washer Or Steel Comp 309s Primary Washer Or Steel Comp 310 Primary Washer Or Steel Comp 310s Primary Washer Or Steel Comp 314 Primary Washer Or Steel Comp 316 Primary Washer Or Steel Comp 316l Primary Washer Or Steel Comp 317 Primary Washer Or Steel Comp 321 Primary Washer Or Steel Comp 347 Primary Washer Or Steel Comp 348 Primary Washer Or Steel Comp 384 Primary Washer Or Steel Comp 385 Primary Washer Or Steel Comp 420 Primary Washer
Material:	Steel Comp 301 Secondary Washer Or Steel Comp 302 Secondary Washer Or Steel Comp 304 Secondary Washer Or Steel Comp 316 Secondary Washer Or Steel Comp 347 Secondary Washer Or Steel Comp 348 Secondary Washer
Material:	Steel Comp 430 Fastener Or Steel Comp 302 Fastener Or Steel Comp 303 Fastener Or Steel Comp 303se Fastener

<b>Material Document And Classification:</b>	66 Fed Std All Material Responses Primary Washer
<b>Material Document And Classification:</b>	Mil-s-5059 Mil Spec 1st Material Response Secondary Washer Or Mil-s-5059 Mil Spec 2nd Material Response Secondary Washer Or Mil-s-5059 Mil Spec 3rd Material Response Secondary Washer Or Mil-s-5059 Mil Spec 4th Material Response Secondary Washer Or Mil-s-6721 Mil Spec 5th Material Response Secondary Washer Or Mil-s-6721 Mil Spec 6th Material Response Secondary Washer
<b>Material Document And Classification:</b>	Qq-s-763 Fed Spec 1st Material Response Fastener Or Mil-s-7720 Mil Spec 2nd Material Response Fastener Or Astm A582 Assn Std 3rd Material Response Fastener Or Astm A582 Assn Std 4th Material Response Fastener
<b>Surface Treatment:</b>	Passivate Fastener
<b>Surface Treatment:</b>	Passivate Primary Washer
<b>Surface Treatment:</b>	Passivate Secondary Washer
<b>Surface Treatment Document And Classification:</b>	Qq-p-35 Fed Spec Single Treatment Response Primary Washer
<b>Thread Series Designator:</b>	Unc
<b>Specification/standard Data:</b>	80205-nas1301 Professional/industrial Association Standard

## How to Order

Order this assembled washer screw from our inventory online by visiting <https://military-fasteners.com/screws/assembled+washer+screws/NAS1301C8-5> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.