

Description

push type, with hook, NAS1334 series pin

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

SKU / Model:	NAS1334S3S07
Minimum Qty (MOQ):	1
NSN:	5315-00-814-1328
Schedule B:	7318.29.0000
ECCN:	ear99



\* See page 2 for technical characteristics

## P/N NAS1334S3S07 Specifications

<b>Shank Diameter:</b>	0.2470 Inches Minimum And 0.2495 Inches Maximum
<b>Button Handle Diameter:</b>	1.200 Inches Maximum
<b>Actuation Method:</b>	Push Button
<b>Grip Length:</b>	0.700 Inches Minimum And 0.720 Inches Maximum
<b>Actuation Type:</b>	Push
<b>Hardness Rating:</b>	36.0 Rockwell C Minimum Shank And 40.0 Rockwell C Maximum Shank
<b>Hardness Rating:</b>	36.0 Rockwell C Minimum Spindle And 40.0 Rockwell C Maximum Spindle
<b>Hardness Rating:</b>	54.0 Rockwell C Minimum Detent And 64.0 Rockwell C Maximum Detent
<b>Shoulder To Head End Distance:</b>	1.550 Inches Maximum
<b>Pin Attachment Type:</b>	Hook Or Ring
<b>Detent To Tapered End Distance:</b>	0.380 Inches Maximum
<b>Material:</b>	Steel Comp 4130 Shank Or Steel Comp 4135 Shank
<b>Material:</b>	Steel Comp 4130 Spindle
<b>Material Document And Classification:</b>	Mil-s-6758 Mil Spec 1st Material Response Shank Or Mil-t-6736 Mil Spec 1st Material Response Shank Or Mil-t-6735 Mil Spec 2nd Material Response Shank
<b>Material Document And Classification:</b>	Mil-s-6758 Mil Spec Single Material Response Spindle
<b>Surface Treatment:</b>	Cadmium Shank And Chromate Shank
<b>Surface Treatment:</b>	Cadmium Spindle And Chromate Spindle
<b>Surface Treatment Document And Classification:</b>	Qq-p-416,ty 2,cl 2 Fed Spec Single Treatment Response Shank
<b>Surface Treatment Document And Classification:</b>	Qq-p-416,ty 2,cl 2 Fed Spec Single Treatment Response Spindle
<b>Style Designator:</b>	Button
<b>Specification/standard Data:</b>	80205-nas1334 Professional/industrial Association Standard

## How to Order

Order this quick release pin from our inventory online by visiting <https://military-fasteners.com/bolts/close+tolerance+bolts/NAS1334S3S07> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.