

P/N NAS1423-3LH

Description

thread: 10-32, drilled, thin, left hand, NAS1423 series nut

* Manufacturer certifications are shipped with your order EREE of charge

Order this part online

Additional Information

SKU / Model: NAS14233LH

Minimum Qty (MOQ): 10

NSN: 5310-01-563-1220

Schedule B: 7318.16.0085

ECCN: EAR99









^{*} See page 2 for technical characteristics

P/N NAS1423-3LH Specifications

Thread Class:	3b
Thread Direction:	Left-hand
Nut Style:	Hexagon
Nut Height:	0.125 Inches Nominal
Drilled Hole Diameter:	0.035 Inches Nominal
Hole Type And Quantity:	3 Drilled
Width Across Flats:	0.365 Inches Minimum And 0.377 Inches Maximum
Thread Series:	Unjf
Thread Quantity Per Inch:	32
Hardness Rating:	34.0 Rockwell C Minimum And 38.0 Rockwell C Maximum
Nominal Thread Size:	0.190 Inches
Hole Configuration Style:	Configuration B
Bearing Surface Type:	Chamfered
Material:	Steel Comp 4130 Overall Or Steel Comp E4340 Overall
Material Document And Classification:	Mil-s-6758 Mil Spec 1st Material Response Overall Or Mil-s-5000 Mil Spec 2nd Material Response Overall
Surface Treatment:	Cadmium Overall
Surface Treatment Document And Classification:	Qq-p-416, Tyii, Cl2 Fed Spec Single Treatment Response Overall
Specification/standard Data:	80205-nas1423 Professional/industrial Association Standard

How to Order

Order this plain hexagon nut from our inventory online by visiting https://military-fasteners.com/nuts/plain+hexagon+nuts/NAS1423-3LH and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/nuts/plain+hexagon+nuts/NAS1423-3LH and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/nuts/plain+hexagon+nuts/NAS1423-3LH and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/nuts/plain+hexagon+nuts/NAS1423-3LH and selecting the quantity of the property of the prope