

Description

thread: 5/16-24, self locking, cap, two lug, nut and shell, NAS1473 series nut

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

| | |
|-------------------------|-------------------------------------------|
| SKU / Model: | NAS1473A5 |
| Minimum Qty (MOQ): | 5 |
| NSN: | 5310-00-974-6614 |
| Schedule B: | 7318.16.0085 |
| ECCN: | EAR99 |
| National Motor Freight: | 093486, Bolts,nuts Or Screws, Noi (sub 3) |



P/N NAS1473A5 Specifications

| | |
|-----------------------------------------------------------------------|---------------------------------------------------------------|
| Thread Class: | 3b |
| Thread Direction: | Right-hand |
| Locking Feature: | Prevailing Torque All Metal Design |
| Counterbore Diameter: | 0.352 Inches Minimum Base |
| Lubrication: | Dry Film Lubricant |
| Overall Height: | 0.798 Inches Maximum |
| Mounting Hole Diameter: | 0.130 Inches Minimum And 0.135 Inches Maximum |
| Nut Style: | Plate |
| Nut Length: | 1.280 Inches Nominal |
| Nut Height: | 0.410 Inches Maximum |
| Plate Thickness: | 0.018 Inches Nominal |
| Plate Width: | 0.762 Inches Maximum |
| Nut Counterbore Depth: | 0.135 Inches Minimum Base |
| Nut Mounting Provision: | Straight Holes |
| Mounting Hole Arrangement Style: | 2 Holes |
| Distance From Aperture Center To Mounting Hole Center: | 0.495 Inches Minimum And 0.505 Inches Maximum |
| Center To Center Distance Between Mounting Holes Along Length: | 0.998 Inches Minimum And 1.002 Inches Maximum |
| Temp Rating: | -80.0 Deg Fahrenheit Minimum And 250.0 Deg Fahrenheit Maximum |
| Thread Series: | Unjf |
| Features Provided: | Floating Nut |
| Thread Quantity Per Inch: | 24 |
| Nominal Thread Size: | 0.312 Inches |
| Material: | Aluminum Alloy Base |
| Material: | Rubber Synthetic Seal |
| Material: | Steel Nut |
| Material: | Steel Shell |
| Material Document And Classification: | Mil-r-6855,cl 1 Mil Spec Single Material Response Seal |
| Surface Treatment: | Anodize Base |
| Surface Treatment: | Cadmium Nut And Chromate Nut |
| Surface Treatment: | Cadmium Shell And Chromate Shell |

How to Order

Order this self-locking nutplate from our inventory online by visiting https://military-fasteners.com/nuts/self_locking+nutplates/NAS1473A5 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.