

**Description**


Thread: 1/4-24, Thread Size: 19/64", Length: 1-19/64", Height: 13/32",

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

**Additional Information**

SKU / Model:	NAS1473A5K
Minimum Qty (MOQ):	5
NSN:	5310-01-604-6730
Schedule B:	7318.16.0085
ECCN:	EAR99



# P/N NAS1473A5K Specifications

<b>Thread Class:</b>	3b
<b>Thread Direction:</b>	Right-hand
<b>Mounting Hole Diameter:</b>	0.130 Inches Nominal
<b>Nut Style:</b>	Plate (floating)
<b>Nut Length:</b>	1.298 Inches Maximum
<b>Nut Height:</b>	0.410 Inches Maximum
<b>Plate Thickness:</b>	0.030 Inches Maximum
<b>Plate Width:</b>	0.777 Inches Maximum
<b>Mounting Hole Arrangement Style:</b>	2 Holes
<b>Distance From Aperture Center To Mounting Hole Center:</b>	0.500 Inches Nominal
<b>Center To Center Distance Between Mounting Holes Along Length:</b>	1.000 Inches Nominal
<b>Temp Rating:</b>	-65.0 Deg Fahrenheit Minimum And 225.0 Deg Fahrenheit Maximum
<b>Thread Series:</b>	Unjf
<b>Features Provided:</b>	Floating Nut
<b>Thread Quantity Per Inch:</b>	24
<b>Nominal Thread Size:</b>	0.312 Inches
<b>Special Features:</b>	Dry Film Lubricant
<b>Material:</b>	Aluminum Alloy Or Iron Alloy 660 Washer
<b>Material:</b>	Iron Alloy 660 Nut
<b>Material:</b>	Iron Alloy 660 Shell
<b>Material:</b>	Rubber Butadiene-acrylonitrile Class Nbr Seal
<b>Material Document And Classification:</b>	Ams 5525 Assn Std Single Material Response Or Ams 5732 Assn Std Single Material Response Washer
<b>Material Document And Classification:</b>	Ams 5525 Assn Std Single Material Response Or Ams 5732 Assn Std Single Material Response Nut
<b>Material Document And Classification:</b>	Ams 5525 Assn Std Single Material Response Shell
<b>Material Document And Classification:</b>	Mil-r-6855, Type 1, Grade 60 Mil Spec Single Material Response Seal
<b>Surface Treatment:</b>	Cadmium Washer
<b>Surface Treatment:</b>	Cadmium Nut
<b>Surface Treatment:</b>	Cadmium Shell
<b>Surface Treatment Document And Classification:</b>	Qq-p-416, Type Ii, Class 1 Fed Spec Single Treatment Response Nut
<b>Surface Treatment Document And Classification:</b>	Qq-p-416, Type Ii, Class 1 Fed Spec Single Treatment Response Shell
<b>Surface Treatment Document And Classification:</b>	Qq-p-416, Type Ii, Class 1 Fed Spec Single Treatment Response Washer

## How to Order

Order this self-locking nutplate from our inventory online by visiting [https://military-fasteners.com/nuts/self\\_locking+nutplates/NAS1473A5K](https://military-fasteners.com/nuts/self_locking+nutplates/NAS1473A5K) and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.