

Description

Thread: 1/4-24, Thread Size: 19/64", Length: 1-19/64", Height: 13/32",

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

SKU / Model:	NAS1473A5K
Minimum Qty (MOQ):	5
NSN:	5310-01-604-6730
Schedule B:	7318.16.0085
ECCN:	EAR99



P/N NAS1473A5K Specifications

Thread Class:	3b
Thread Direction:	Right-hand
Mounting Hole Diameter:	0.130 Inches Nominal
Nut Style:	Plate (floating)
Nut Length:	1.298 Inches Maximum
Nut Height:	0.410 Inches Maximum
Plate Thickness:	0.030 Inches Maximum
Plate Width:	0.777 Inches Maximum
Mounting Hole Arrangement Style:	2 Holes
Distance From Aperture Center To Mounting Hole Center:	0.500 Inches Nominal
Center To Center Distance Between Mounting Holes Along Length:	1.000 Inches Nominal
Temp Rating:	-65.0 Deg Fahrenheit Minimum And 225.0 Deg Fahrenheit Maximum
Thread Series:	Unjf
Features Provided:	Floating Nut
Thread Quantity Per Inch:	24
Nominal Thread Size:	0.312 Inches
Special Features:	Dry Film Lubricant
Material:	Aluminum Alloy Or Iron Alloy 660 Washer
Material:	Iron Alloy 660 Nut
Material:	Iron Alloy 660 Shell
Material:	Rubber Butadiene-acrylonitrile Class Nbr Seal
Material Document And Classification:	Ams 5525 Assn Std Single Material Response Or Ams 5732 Assn Std Single Material Response Washer
Material Document And Classification:	Ams 5525 Assn Std Single Material Response Or Ams 5732 Assn Std Single Material Response Nut
Material Document And Classification:	Ams 5525 Assn Std Single Material Response Shell
Material Document And Classification:	Mil-r-6855, Type 1, Grade 60 Mil Spec Single Material Response Seal
Surface Treatment:	Cadmium Washer
Surface Treatment:	Cadmium Nut
Surface Treatment:	Cadmium Shell
Surface Treatment Document And Classification:	Qq-p-416, Type Ii, Class 1 Fed Spec Single Treatment Response Nut
Surface Treatment Document And Classification:	Qq-p-416, Type Ii, Class 1 Fed Spec Single Treatment Response Shell
Surface Treatment Document And Classification:	Qq-p-416, Type Ii, Class 1 Fed Spec Single Treatment Response Washer

How to Order

Order this self-locking nutplate from our inventory online by visiting https://military-fasteners.com/nuts/self_locking+nutplates/NAS1473A5K and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.