

P/N NAS1474A04

Military-Fasteners.com

Description

thread: 4-40, self-locking capped nutplate, reduced rivet spacing, two lug steel nut and shell

* Manufacturer certifications are shipped with your order $\underline{\mathsf{FREE}}$ of charge

Order this part online

Additional Information

SKU / Model:	NAS1474A04
Minimum Qty (MOQ):	5
NSN:	5310-00-143-6338
ECCN:	EAR99
National Motor Freight:	093486, Bolts,nuts Or Screws, Noi (sub 3)



P/N NAS1474A04 Specifications

Thread Class:	3b
Thread Direction:	Right-hand
Locking Feature:	Prevailing Torque All Metal Design
Counterbore Diameter:	0.142 Inches Minimum Nut
Lubrication:	Dry Film Lubricant
Overall Height:	0.405 Inches Maximum
Mounting Hole Diameter:	0.098 Inches Nominal
Nut Style:	Plate
Nut Length:	0.840 Inches Maximum
Nut Height:	0.204 Inches Maximum
Plate Thickness:	0.030 Inches Maximum
Plate Width:	0.443 Inches Maximum
Nut Counterbore Depth:	0.070 Inches Minimum Nut
Nut Mounting Provision:	Straight Holes
Mounting Hole Arrangement Style:	2 Holes
Distance From Aperture Center To Mounting Hole Center:	0.290 Inches Minimum And 0.300 Inches Maximum
Center To Center Distance Between Mounting Holes Along Length:	0.588 Inches Minimum And 0.592 Inches Maximum
Temp Rating:	-65.0 Deg Fahrenheit Minimum And 225.0 Deg Fahrenheit Maximum
Thread Series:	Unjc
Features Provided:	Floating Nut
Thread Quantity Per Inch:	40
Nominal Thread Size:	0.112 Inches
Material:	Rubber Synthetic Seal
Material:	Steel Nut
Material:	Steel Shell
Material Document And Classification:	Mil-s-6855, class 1, grade 60 Mil Spec Single Material Response Seal
Surface Treatment:	Cadmium Nut
Surface Treatment:	Cadmium Shell
Surface Treatment Document And Classification:	
Surface Treatment Document And Classification.	Qq-p-416 Fed Spec Single Treatment Response Nut
Surface Treatment Document And Classification:	Qq-p-416 Fed Spec Single Treatment Response Nut Qq-p-416 Type 2 Class 2 Fed Spec Single Treatment Response Shell

How to Order

Order this self-locking nutplate from our inventory online by visiting <u>https://military-fasteners.com/nuts/self_locking+nutplates/NAS1474A04</u> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out<u>here</u> to complete your order.