

Description

thread: 4-40, self-locking capped nutplate, reduced rivet spacing, two lug steel nut and shell

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

| | |
|-------------------------|---|
| SKU / Model: | NAS1474A04 |
| Minimum Qty (MOQ): | 5 |
| NSN: | 5310-00-143-6338 |
| ECCN: | EAR99 |
| National Motor Freight: | 093486, Bolts,nuts Or Screws, Noi (sub 3) |



P/N NAS1474A04 Specifications

| | |
|---|--|
| Thread Class: | 3b |
| Thread Direction: | Right-hand |
| Locking Feature: | Prevailing Torque All Metal Design |
| Counterbore Diameter: | 0.142 Inches Minimum Nut |
| Lubrication: | Dry Film Lubricant |
| Overall Height: | 0.405 Inches Maximum |
| Mounting Hole Diameter: | 0.098 Inches Nominal |
| Nut Style: | Plate |
| Nut Length: | 0.840 Inches Maximum |
| Nut Height: | 0.204 Inches Maximum |
| Plate Thickness: | 0.030 Inches Maximum |
| Plate Width: | 0.443 Inches Maximum |
| Nut Counterbore Depth: | 0.070 Inches Minimum Nut |
| Nut Mounting Provision: | Straight Holes |
| Mounting Hole Arrangement Style: | 2 Holes |
| Distance From Aperture Center To Mounting Hole Center: | 0.290 Inches Minimum And 0.300 Inches Maximum |
| Center To Center Distance Between Mounting Holes Along Length: | 0.588 Inches Minimum And 0.592 Inches Maximum |
| Temp Rating: | -65.0 Deg Fahrenheit Minimum And 225.0 Deg Fahrenheit Maximum |
| Thread Series: | Unjc |
| Features Provided: | Floating Nut |
| Thread Quantity Per Inch: | 40 |
| Nominal Thread Size: | 0.112 Inches |
| Material: | Rubber Synthetic Seal |
| Material: | Steel Nut |
| Material: | Steel Shell |
| Material Document And Classification: | Mil-s-6855,class 1,grade 60 Mil Spec Single Material Response Seal |
| Surface Treatment: | Cadmium Nut |
| Surface Treatment: | Cadmium Shell |
| Surface Treatment Document And Classification: | Qq-p-416 Fed Spec Single Treatment Response Nut |
| Surface Treatment Document And Classification: | Qq-p-416 Type 2 Class 2 Fed Spec Single Treatment Response Shell |
| Specification/standard Data: | 80205-nas1474 Professional/industrial Association Standard |

How to Order

Order this self-locking nutplate from our inventory online by visiting https://military-fasteners.com/nuts/self_locking+nutplates/NAS1474A04 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.