

Description

thread: 1/4-28, self-locking, capped, reduced rivet spacing, two lug, steel

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

SKU / Model:	NAS1474A4
Minimum Qty (MOQ):	10
NSN:	5310-00-994-7209
ECCN:	EAR99
National Motor Freight:	093486, Bolts,nuts Or Screws, Noi (sub 3)



* See page 2 for technical characteristics

P/N NAS1474A4 Specifications

Thread Class:	3b
Thread Direction:	Right-hand
Locking Feature:	Prevailing Torque All Metal Design
Counterbore Diameter:	0.280 Inches Minimum Nut
Lubrication:	Dry Film Lubricant
Overall Height:	0.560 Inches Maximum
Mounting Hole Diameter:	0.098 Inches Nominal
Nut Style:	Plate
Nut Length:	1.000 Inches Maximum
Nut Height:	0.350 Inches Maximum
Plate Thickness:	0.030 Inches Maximum
Plate Width:	0.635 Inches Maximum
Nut Counterbore Depth:	0.105 Inches Minimum Nut
Nut Mounting Provision:	Straight Holes
Mounting Hole Arrangement Style:	2 Holes
Distance From Aperture Center To Mounting Hole Center:	0.371 Inches Minimum And 0.381 Inches Maximum
Center To Center Distance Between Mounting Holes Along Length:	0.750 Inches Minimum And 0.754 Inches Maximum
Temp Rating:	-65.0 Deg Fahrenheit Minimum And 225.0 Deg Fahrenheit Maximum
Thread Series:	Unjf
Features Provided:	Floating Nut
Thread Quantity Per Inch:	28
Hardness Rating:	60.0 Shore Durometer A Nominal
Nominal Thread Size:	0.250 Inches
Material:	Aluminum Alloy Washer Or Steel Washer
Material:	Rubber Synthetic Seal
Material:	Steel Nut
Material:	Steel Shell
Material Document And Classification:	Mil-r-6855,class 1,grade 60 Mil Spec Single Material Response Seal
Surface Treatment:	Anodize Washer Or Cadmium Washer
Surface Treatment:	Cadmium Nut

Surface Treatment:	Cadmium Shell
Surface Treatment Document And Classification:	Mil-a-8625,type 1 Mil Spec 1st Treatment Response Washer Or Qq-p-416 Fed Spec 2nd Treatment Response Washer
Surface Treatment Document And Classification:	Qq-p-416,type 1,class 3 Fed Spec Single Treatment Response Nut
Surface Treatment Document And Classification:	Qq-p-416,type 1,class 3 Fed Spec Single Treatment Response Shell
Specification/standard Data:	80205-nas1474 Professional/industrial Association Standard

How to Order

Order this self-locking nutplate from our inventory online by visiting https://military-fasteners.com/nuts/self_locking+nutplates/NAS1474A4 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.