

Description

thread: 1/4-28, self-locking, capped, reduced rivet spacing, two lug, corrosion resistant

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

| | |
|-------------------------|-------------------|
| SKU / Model: | NAS1474C4 |
| Minimum Qty (MOQ): | 5 |
| NSN: | 5310-00-916-4571 |
| ECCN: | EAR99 |
| National Motor Freight: | 013540, Alum Nuts |



P/N NAS1474C4 Specifications

| | |
|---|--|
| Thread Class: | 3b |
| Thread Direction: | Right-hand |
| Locking Feature: | Prevailing Torque All Metal Design |
| Counterbore Diameter: | 0.280 Inches Minimum Nut |
| Overall Height: | 0.560 Inches Maximum |
| Mounting Hole Diameter: | 0.098 Inches Nominal |
| Nut Style: | Plate |
| Nut Length: | 1.000 Inches Maximum |
| Nut Height: | 0.350 Inches Maximum |
| Plate Thickness: | 0.030 Inches Maximum |
| Plate Width: | 0.635 Inches Maximum |
| Nut Counterbore Depth: | 0.105 Inches Minimum Nut |
| Nut Mounting Provision: | Straight Holes |
| Mounting Hole Arrangement Style: | 2 Holes |
| Distance From Aperture Center To Mounting Hole Center: | 0.372 Inches Minimum And 0.381 Inches Maximum |
| Center To Center Distance Between Mounting Holes Along Length: | 0.750 Inches Minimum And 0.754 Inches Maximum |
| Temp Rating: | 450.0 Deg Fahrenheit Nominal |
| Thread Series: | Unjf |
| Features Provided: | Floating Nut |
| Thread Quantity Per Inch: | 28 |
| Nominal Thread Size: | 0.250 Inches |
| Material: | Iron Alloy 660 Nut |
| Material: | Iron Alloy 660 Shell |
| Material Document And Classification: | Ams 3304 Assn Std Single Material Response Seal |
| Material Document And Classification: | Ams 5525 Assn Std Single Material Response Shell |
| Material Document And Classification: | Ams 5732 Assn Std Single Material Response Nut |
| Precious Material And Location: | Nut Silver |
| Precious Material: | Silver |
| Surface Treatment: | Silver Nut |
| Surface Treatment: | Passivate Shell |
| Surface Treatment Document And Classification: | Ams 2410 Assn Std Single Treatment Response Nut |

| | |
|---|--|
| Surface Treatment Document And Classification: | Qq-p-35 Fed Spec Single Treatment Response Shell |
| Specification/standard Data: | 80205-nas1474 Professional/industrial Association Standard |

How to Order

Order this self-locking nutplate from our inventory online by visiting https://military-fasteners.com/nuts/self_locking+nutplates/NAS1474C4 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.