P/N NAS1474F4

Description

Thread Size: 1/4", Nut Length: 1", Nut Height: 11/32",

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

SKU / Model:	NAS1474F4
Minimum Qty (MOQ):	5
NSN:	5310-01-264-5904
Schedule B:	7318.16.0030
ECCN:	EAR99
National Motor Freight:	093486, Bolts,nuts Or Screws, Noi (sub 3)

* See page 2 for technical characteristics

P/N NAS1474F4 Specifications

Thread Class:	3b
Thread Direction:	Right-hand
Locking Feature:	Prevailing Torque All Metal Design
Counterbore Diameter:	0.280 Inches Nominal First End
Lubrication:	Dry Film Lubricant
Overall Height:	0.560 Inches Maximum
Mounting Hole Diameter:	0.098 Inches Nominal
Nut Style:	Plate
Nut Length:	1.000 Inches Maximum
Nut Height:	0.350 Inches Maximum
Plate Thickness:	0.030 Inches Maximum
Plate Width:	0.635 Inches Maximum
Nut Counterbore Depth:	0.105 Inches Nominal First End
Nut Mounting Provision:	Straight Holes
Distance From Aperture Center To Mounting Hole Center:	0.495 Inches Minimum And 0.505 Inches Maximum
Center To Center Distance Between Mounting Holes Along Length:	0.998 Inches Minimum And 1.002 Inches Maximum
Temp Rating:	65.0 Deg Fahrenheit Minimum And 350.0 Deg Fahrenheit Maximum
Thread Series:	Unjf
Features Provided:	Floating Nut
Thread Quantity Per Inch:	28
Nominal Thread Size:	0.250 Inches
Material:	Rubber Fluorosilicone Class Fq Seal
Material:	Steel Corrosion Resisting Nut
Material Document And Classification:	Mil-r-25988 Mil Spec Single Material Response Seal
Surface Treatment:	Passivate Nut
Surface Treatment Document And Classification:	Qq-p-35 Fed Spec Single Treatment Response Nut
Specification/standard Data:	80205-nas1474 Professional/industrial Association Standard

How to Order

Order this self-locking nutplate from our inventory online by visiting https://military-fasteners.com/nuts/self_locking+nutplates/NAS1474F4 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out here to complete your order.