

Description

size: #10, plain washer, corrosion resistant steel

* Manufacturer certifications are shipped with your order FREE of charge[Order this part online](#)**Additional Information**

SKU / Model:	NAS15873
Minimum Qty (MOQ):	100
NSN:	5310-00-059-5291
ECCN:	EAR99
National Motor Freight:	194160, Washer Or Gaskets, Iron Or Steel,



* See page 2 for technical characteristics

P/N NAS1587-3 Specifications

Cross-sectional Shape Style:	Rectangular
Hole Diameter:	0.192 Inches Minimum And 0.198 Inches Maximum
Peripheral Shape Style:	Round
Center Hole Shape Style:	1 Round
Center Hole Shape Style:	Round
Thickness:	0.032 Inches Nominal
Overall Diameter:	0.459 Inches Minimum And 0.479 Inches Maximum
Minimum Tensile Strength:	75000 Pounds Per Square Inch
Surface Finish:	63.0 Microinches Bottom
Surface Finish:	63.0 Microinches Top
Material:	Steel Comp 321 Overall Or Steel Comp 348 Overall Or Steel Comp 303 Overall
Material Document And Classification:	Mil-s-6721 Mil Spec 1st Material Response Overall Or Qq-s-763 Fed Spec 1st Material Response Overall And Mil-s-6721 Mil Spec 2nd Material Response Overall And Qq-s-763 Fed Spec 3rd Material Response Overall
Surface Treatment:	Passivate Overall
Surface Treatment Document And Classification:	Qq-p-35 Fed Spec Single Treatment Response Overall
Specification/standard Data:	80205-nas1587 Professional/Industrial Association Standard

How to Order

Order this flat washer from our inventory online by visiting <https://military-fasteners.com/washers/flat+washers/NAS1587-3> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.