

P/N NAS1715C28T

Military-Fasteners.com

#### Description

Cushioned Loop Clamp part number

\* Manufacturer certifications are shipped with your order  $\underline{\mathsf{FREE}}$  of charge

### Order this part online

#### **Additional Information**

| SKU / Model:            | NAS1715C28T                 |
|-------------------------|-----------------------------|
| Minimum Qty (MOQ):      | 5 EA                        |
| NSN:                    | 5340-00-177-4112            |
| Schedule B:             | 7318.29.0000                |
| ECCN:                   | 9A991                       |
| National Motor Freight: | 095190, Hardware, Noi Sub 9 |



# P/N NAS1715C28T Specifications

| Tongue Hole Type:   | Round, Unthreaded  |
|---|--|
| Overall Width:  | 0.500 Inches Nominal                                       |
| Diameter:   | 0.204 Inches Nominal                                       |
| Material Thickness:                                       | 0.051 Inches Nominal                                       |
| Center To Center Distance Between Loop And Mounting Hole: | 1.365 Inches Nominal                                       |
| Distance From Loop Center To Tongue End:                  | 1.584 Inches Nominal                                       |
| Loop Inside Diameter:                                     | 1.750 Inches Nominal                                       |
| Material:   | Plastic Polytetrafluoroethylene Cushion                    |
| Material:   | Steel Corrosion Resisting Band                             |
| Surface Treatment:  | Passivate Band   |
| Style Designator:   | Offset Mount   |
| Specification/standard Data:                              | 80205-nas1715 Professional/industrial Association Standard |

## How to Order

Order this cushioned loop clamp from our inventory online by visiting <u>https://military-fasteners.com/clamps/loop+clamps/NAS1715C28T</u> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check outhere to complete your order.