

**Description**

Thread Size: 3/16", Nut Length: 15/16", Nut Height: 1/2

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

**Additional Information**

SKU / Model:	NAS1791A35
Minimum Qty (MOQ):	20
NSN:	5310-01-085-1212
National Motor Freight:	093486, Bolts,nuts Or Screws, Noi (sub 3)

NO IMAGE  
AVAILABLE

# P/N NAS1791A3-5 Specifications

<b>Thread Class:</b>	3b
<b>Thread Direction:</b>	Right-hand
<b>Locking Feature:</b>	Prevailing Torque All Metal Design
<b>Counterbore Diameter:</b>	0.194 Inches Nominal Nut
<b>Lubrication:</b>	Dry Film Lubricant
<b>Mounting Hole Diameter:</b>	0.098 Inches Minimum And 0.103 Inches Maximum
<b>Nut Style:</b>	Plate
<b>Nut Length:</b>	0.948 Inches Maximum
<b>Nut Height:</b>	0.500 Inches Maximum
<b>Plate Thickness:</b>	0.027 Inches Minimum And 0.037 Inches Maximum
<b>Plate Width:</b>	0.445 Inches Maximum
<b>Removable Nut Manufacturer Code:</b>	80205
<b>Nut Counterbore Depth:</b>	0.313 Inches Minimum Nut
<b>Nut Mounting Provision:</b>	Straight Holes
<b>Mounting Hole Arrangement Style:</b>	2 Holes
<b>Distance From Mounting Hole Center To Base:</b>	0.100 Inches Minimum
<b>Distance From Aperture Center To Mounting Hole Center:</b>	0.339 Inches Minimum And 0.349 Inches Maximum
<b>Center To Center Distance Between Mounting Holes Along Length:</b>	0.686 Inches Minimum And 0.690 Inches Maximum
<b>Removable Nut Manufacturer Part Number:</b>	Nas1794
<b>Temp Rating:</b>	450.0 Deg Fahrenheit Maximum
<b>Thread Series:</b>	Unjf
<b>Features Provided:</b>	Floating Nut
<b>Thread Quantity Per Inch:</b>	32
<b>Nominal Thread Size:</b>	0.190 Inches
<b>Material:</b>	Steel Nut
<b>Material:</b>	Steel Shell
<b>Surface Treatment:</b>	Cadmium Nut And Chromate Nut
<b>Surface Treatment:</b>	Cadmium Shell And Chromate Shell
<b>Surface Treatment Document And Classification:</b>	Qq-p-416,ty 2,cl 2 Fed Spec All Treatment Responses Shell
<b>Surface Treatment Document And Classification:</b>	Qq-p-416,ty 2,cl 2 Fed Spec All Treatment Responses Nut
<b>Specification/standard Data:</b>	80205-nas1791 Professional/industrial Association Standard

## How to Order

Order this self-locking nutplate from our inventory online by visiting [https://military-fasteners.com/nuts/self\\_locking+nutplates/NAS1791A3-5](https://military-fasteners.com/nuts/self_locking+nutplates/NAS1791A3-5) and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.