

Description

Thread Size: 3/16", Nut Length: 15/16", Nut Height: 19/64

* Manufacturer certifications are shipped with your order FREE of charge[Order this part online](#)**Additional Information**

SKU / Model:	NAS1791C32NP
Minimum Qty (MOQ):	10
NSN:	5310-01-331-6292
Schedule B:	7318.16.0085
ECCN:	EAR99
National Motor Freight:	093486, Bolts,nuts Or Screws, Noi (sub 3)



P/N NAS1791C3-2NP Specifications

Thread Class:	3b
Thread Direction:	Right-hand
Locking Feature:	Prevailing Torque All Metal Design
Counterbore Diameter:	0.194 Inches Nominal Nut
Mounting Hole Diameter:	0.103 Inches Maximum
Nut Style:	Plate (floating)
Nut Length:	0.948 Inches Maximum
Nut Height:	0.312 Inches Maximum
Plate Thickness:	0.037 Inches Maximum
Plate Width:	0.484 Inches Maximum
Nut Counterbore Depth:	0.125 Inches Minimum Nut
Nut Mounting Provision:	Straight Holes
Mounting Hole Arrangement Style:	2 Holes
Distance From Aperture Center To Mounting Hole Center:	0.100 Inches Minimum
Center To Center Distance Between Mounting Holes Along Length:	0.690 Inches Maximum
Temp Rating:	800.0 Deg Fahrenheit Nominal
Thread Series:	Unjf
Thread Quantity Per Inch:	32
Nominal Thread Size:	0.190 Inches
Material:	Iron Alloy 651 Nut
Material:	Iron Alloy 651 Shell
Material:	Steel Comp 302 Clip
Material Document And Classification:	Ams5525 Assn Std Single Material Response Nut Or Ams5732 Assn Std Single Material Response Nut Or Ams5737 Assn Std Single Material Response Nut
Material Document And Classification:	Ams5525 Assn Std Single Material Response Shell
Material Document And Classification:	Ams5688 Assn Std Single Material Response Clip
Surface Treatment:	Silver Nut
Surface Treatment:	Passivate Clip
Surface Treatment:	Passivate Shell
Surface Treatment Document And Classification:	Ams2410 Assn Std Single Treatment Response Nut

Surface Treatment Document And Classification:	Qq-p-35 Fed Spec Single Treatment Response Clip
Surface Treatment Document And Classification:	Qq-p-35 Fed Spec Single Treatment Response Shell
Specification/standard Data:	80205-nas1791 Professional/industrial Association Standard

How to Order

Order this self-locking nutplate from our inventory online by visiting https://military-fasteners.com/nuts/self_locking+nutplates/NAS1791C3-2NP and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.