

**Description**

Thread Size: 3/16", Nut Length: 15/16", Nut Height: 3/8"

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

**Additional Information**

SKU / Model:	NAS1791C33K
Minimum Qty (MOQ):	5 EA
NSN:	5310-01-342-7249
Schedule B:	7318.16.0085
ECCN:	EAR99
National Motor Freight:	093486, Bolts,nuts Or Screws, Noi (sub 3)

NO IMAGE  
AVAILABLE

# P/N NAS1791C3-3K Specifications

<b>Thread Class:</b>	3b
<b>Thread Direction:</b>	Right-hand
<b>Locking Feature:</b>	Prevailing Torque All Metal Design
<b>Counterbore Diameter:</b>	0.194 Inches Nominal Nut
<b>Mounting Hole Diameter:</b>	0.103 Inches Maximum
<b>Nut Style:</b>	Plate (floating)
<b>Nut Length:</b>	0.948 Inches Maximum
<b>Nut Height:</b>	0.375 Inches Maximum
<b>Plate Thickness:</b>	0.027 Inches Minimum And 0.037 Inches Maximum
<b>Plate Width:</b>	0.484 Inches Maximum
<b>Nut Counterbore Depth:</b>	0.188 Inches Nominal Nut
<b>Nut Mounting Provision:</b>	Straight Holes
<b>Mounting Hole Arrangement Style:</b>	2 Holes
<b>Distance From Aperture Center To Mounting Hole Center:</b>	0.349 Inches Maximum
<b>Center To Center Distance Between Mounting Holes Along Length:</b>	0.686 Inches Minimum And 0.690 Inches Maximum
<b>Temp Rating:</b>	450.0 Deg Fahrenheit Maximum
<b>Thread Series:</b>	Unjf
<b>Thread Quantity Per Inch:</b>	32
<b>Nominal Thread Size:</b>	0.190 Inches
<b>Special Features:</b>	Dimpled Rivet Holes
<b>Material:</b>	Iron Alloy 660 Nut
<b>Material:</b>	Iron Alloy 660 Shell
<b>Material:</b>	Steel Comp 321 Clip
<b>Material Document And Classification:</b>	Ams 5525 Assn Std Single Material Response Nut Or Ams 5732 Assn Std Single Material Response Nut Or Ams 5737 Assn Std Single Material Response Nut
<b>Material Document And Classification:</b>	Ams 5525 Assn Std Single Material Response Shell
<b>Material Document And Classification:</b>	Ams 5688 Assn Std Single Material Response Clip
<b>Surface Treatment:</b>	Passivate Overall
<b>Surface Treatment Document And Classification:</b>	Qq-p-35 Fed Spec Single Treatment Response Overall
<b>Specification/standard Data:</b>	80205-nas1791 Professional/industrial Association Standard

## How to Order

Order this plate - two lug locknut from our inventory online by visiting [https://military-fasteners.com/nuts/self\\_locking+nutplates/NAS1791C3-3K](https://military-fasteners.com/nuts/self_locking+nutplates/NAS1791C3-3K) and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.