

**Description**

Hole Diameter: 3/64", Thread: 1/4-28, Thread Length: 7/8"

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

**Additional Information**

SKU / Model:	NAS18024D17
Minimum Qty (MOQ):	1 EA
NSN:	5305-01-561-0415
Schedule B:	7318.15.6080
ECCN:	9A991
National Motor Freight:	096640, Screws, Iron Or Steel

NO IMAGE  
AVAILABLE

## P/N NAS1802-4D17 Specifications

<b>Thread Direction:</b>	Right-hand
<b>Thread Length:</b>	0.880 Inches Nominal
<b>Head Style:</b>	Hexagon
<b>Head Height:</b>	0.073 Inches Nominal
<b>Width Between Flats:</b>	0.372 Inches Nominal
<b>Hole Diameter:</b>	0.051 Inches Nominal
<b>Internal Drive Style:</b>	Cross Recess Type li
<b>End Item Identification:</b>	Np2000 Propeller Control; E2 Hawkeye Aircraft
<b>Nominal Thread Diameter:</b>	0.250 Inches
<b>Hole Quantity:</b>	3
<b>Thread Quantity Per Inch:</b>	28
<b>Minimum Tensile Strength:</b>	160000 Pounds Per Square Inch
<b>Part Name Assigned By Controlling Agency:</b>	Hex Head Screw
<b>Screw Material:</b>	Iron Alloy 660
<b>Screw Material Document And Classification:</b>	Ms5731 Assn Std Single Material Response And 5732 Assn Std Single Material Response And Ms5731 Assn Std Single Material Response
<b>Bearing Surface Of Head Surface Treatment:</b>	Cadmium
<b>Head Surface Treatment:</b>	Cadmium
<b>Screw Surface Treatment:</b>	Cadmium
<b>Shank Surface Treatment:</b>	Cadmium
<b>Special Features:</b>	Used To Hold Brush Block Assembly In Place
<b>Color:</b>	Silver
<b>Supplementary Features:</b>	T.o. (fr)01-e2aaa-4-3
<b>Thread Series Designator:</b>	Unjf

## How to Order

Order this screw from our inventory online by visiting <https://military-fasteners.com/screws/machine+screws/NAS1802-4D17> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.