

**Description**

length: 0.75", clearance hole: 0.168" - 0.174", thru clearance hole, cadmium plated carbon steel, NAS1834 series insert

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

**Additional Information**

|                    |                  |
|--------------------|------------------|
| SKU / Model:       | NAS183408750     |
| Minimum Qty (MOQ): | 25               |
| NSN:               | 5325-01-368-8884 |
| Schedule B:        | 7326.90.8688     |
| ECCN:              | EAR99            |



\* See page 2 for technical characteristics

## P/N NAS1834-08-750 Specifications

|   |   |
|---|---|
| <b>Shoulder Diameter:</b>                             | 0.560 Inches Nominal  |
| <b>Flange Diameter:</b>                               | 0.560 Inches Nominal  |
| <b>Overall Length:</b>                                | 0.750 Inches Nominal  |
| <b>Hole Type:</b>                                     | Plain   |
| <b>Features Provided:</b>                             | Potting Hole  |
| <b>Insert Style:</b>                                  | Protruding Flange   |
| <b>Hole Diameter:</b>                                 | 0.250 Inches Nominal  |
| <b>Special Features:</b>                              | Anti-rotation Knurl.  |
| <b>Material:</b>                                      | Steel Overall   |
| <b>Material Document And Classification:</b>          | 66 Fed Std Single Material Response Overall                 |
| <b>Surface Treatment:</b>                             | Cadmium Overall And Chromate Overall                        |
| <b>Surface Treatment Document And Classification:</b> | Qq-p-416,ty2,cl2 Fed Spec Single Treatment Response Overall |

## How to Order

Order this screw thread insert from our inventory online by visiting <https://military-fasteners.com/inserts/screw+thread+inserts/NAS1834-08-750> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.