

**Description**

thread: 10-32, blind threaded, sandwich panel, floating, cadmium plated carbon steel, NAS1835 series insert

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

**Additional Information**

SKU / Model:	NAS18353
Minimum Qty (MOQ):	10
NSN:	5325-01-128-5326
ECCN:	EAR99
National Motor Freight:	095190, Hardware, Noi Sub 9



# P/N NAS1835-3 Specifications

<b>Shoulder Diameter:</b>	0.535 Inches Nominal
<b>Flange Diameter:</b>	0.675 Inches Minimum And 0.685 Inches Maximum
<b>Overall Length:</b>	0.430 Inches Nominal
<b>Hole Type:</b>	Threaded
<b>Features Provided:</b>	Potting Hole Or Potting Slot
<b>Body Diameter:</b>	0.190 Inches Nominal
<b>Insert Style:</b>	Protruding Flange
<b>Material:</b>	Aluminum Alloy Cap
<b>Material:</b>	Steel Comp 1006 Housing Or Steel Comp 1008 Housing Or Steel Comp 1010 Housing Or Steel Comp 1012 Housing Or Steel Comp 1015 Housing Or Steel Comp 1016 Housing Or Steel Comp 1017 Housing Or Steel Comp 1018 Housing Or Steel Comp 1019 Housing Or Steel Comp 1020 Housing Or Steel Comp 1021 Housing Or Steel Comp 1022 Housing Or Steel Comp 1025 Housing Or Steel Comp 1030 Housing Or Steel Comp 1035 Housing Or Steel Comp 1040 Housing
<b>Material:</b>	Steel Comp 1006 Nut Or Steel Comp 1008 Nut Or Steel Comp 1010 Nut Or Steel Comp 1012 Nut Or Steel Comp 1015 Nut Or Steel Comp 1016 Nut Or Steel Comp 1017 Nut Or Steel Comp 1018 Nut Or Steel Comp 1019 Nut Or Steel Comp 1020 Nut Or Steel Comp 1021 Nut Or Steel Comp 1022 Nut Or Steel Comp 1025 Nut Or Steel Comp 1030 Nut Or Steel Comp 1035 Nut Or Steel Comp 1040 Nut
<b>Material Document And Classification:</b>	66 Fed Std All Material Responses Housing
<b>Material Document And Classification:</b>	66 Fed Std All Material Responses Nut
<b>Surface Treatment:</b>	Anodize Cap Or Chromate Cap
<b>Surface Treatment:</b>	Cadmium Housing And Chromate Housing
<b>Surface Treatment:</b>	Cadmium Nut And Chromate Nut
<b>Surface Treatment Document And Classification:</b>	Mil-a-8625,ty 1 Mil Spec 1st Treatment Response Cap Or Mil-c-5541,cl 3 Mil Spec 2nd Treatment Response Cap
<b>Surface Treatment Document And Classification:</b>	Qq-p-416,ty 2,cl 2 Fed Spec Single Treatment Response Housing
<b>Surface Treatment Document And Classification:</b>	Qq-p-416,ty 2,cl 2 Fed Spec Single Treatment Response Nut
<b>Thread Size And Series/type Designator:</b>	0.190-32 Unjf
<b>Specification/standard Data:</b>	80205-nas1835 Professional/industrial Association Standard

## How to Order

Order this screw thread insert from our inventory online by visiting <https://military-fasteners.com/inserts/screw+thread+inserts/NAS1835-3> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.