

**Description**


thread: 10-32, blind threaded sandwich panel, floating, cadmium plated carbon steel, solid film lubricant, NAS1835 series insert

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

**Additional Information**

SKU / Model:	NAS18353M
Minimum Qty (MOQ):	5
NSN:	5325-01-217-2319
ECCN:	EAR99
National Motor Freight:	095190, Hardware, Noi



\* See page 2 for technical characteristics

## P/N NAS1835-3M Specifications

<b>Shoulder Diameter:</b>	0.535 Inches Nominal
<b>Flange Diameter:</b>	0.675 Inches Minimum And 0.685 Inches Maximum
<b>Overall Length:</b>	0.430 Inches Nominal
<b>Hole Type:</b>	Threaded
<b>Features Provided:</b>	Potting Hole Or Potting Slot
<b>Body Diameter:</b>	0.190 Inches Nominal
<b>Insert Style:</b>	Protruding Flange
<b>Special Features:</b>	Solid Film Lubricant On Nut
<b>Material:</b>	Aluminum Alloy Cap
<b>Material:</b>	Steel Comp 1006 Or Steel Comp 1008 Or Steel Comp 1010 Or Steel Comp 1012 Or Steel Comp 1015 Or Steel Comp 1016 Or Steel Comp 1017 Or Steel Comp 1018 Or Steel Comp 1019 Or Steel Comp 1020 Or Steel Comp 1021 Or Steel Comp 1022 Or Steel Comp 1025 Or Steel Comp 1030 Or Steel Comp 1035 Or Steel Comp 1040 Housing
<b>Material:</b>	Steel Comp 1006 Or Steel Comp 1008 Or Steel Comp 1010 Or Steel Comp 1012 Or Steel Comp 1015 Or Steel Comp 1016 Or Steel Comp 1017 Or Steel Comp 1018 Or Steel Comp 1019 Or Steel Comp 1020 Or Steel Comp 1021 Or Steel Comp 1022 Or Steel Comp 1025 Or Steel Comp 1030 Or Steel Comp 1035 Or Steel Comp 1040 Nut
<b>Material Document And Classification:</b>	66 Fed Std All Material Responses Housing
<b>Material Document And Classification:</b>	66 Fed Std All Material Responses Nut
<b>Surface Treatment:</b>	Cadmium And Chromate Housing
<b>Surface Treatment:</b>	Cadmium And Chromate Nut
<b>Surface Treatment Document And Classification:</b>	Qq-p-416,ty 2,cl 2 Fed Spec Single Treatment Response Housing
<b>Surface Treatment Document And Classification:</b>	Qq-p-416,ty 2,cl 2 Fed Spec Single Treatment Response Nut
<b>Thread Size And Series/type Designator:</b>	0.190-32 Unjf
<b>Specification/standard Data:</b>	80205-nas1835 Professional/Industrial Association Standard

## How to Order

Order this screw thread insert from our inventory online by visiting <https://military-fasteners.com/inserts/screw+thread+inserts/NAS1835-3M> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.