

## P/N NAS387-832-7P

### **Description**

Fastener Length: 7/16", Thread: 8-32, Thread Length: 23/64"

\* Manufacturer certifications are shipped with your order <u>FREE</u> of charge

## Order this part online

#### **Additional Information**

SKU / Model: NAS3878327P

Minimum Qty (MOQ): 145 EA

NSN: 5305-00-925-9791

Schedule B: 7318.15.6080

ECCN: 9A991

National Motor Freight: 096640, Screws, Iron Or Steel



<sup>\*</sup> See page 2 for technical characteristics

# P/N NAS387-832-7P Specifications

Thread Class:	2a
Thread Direction:	Right-hand
Thread Length:	0.366 Inches Minimum
Fastener Length:	0.438 Inches Nominal
Head Style:	Oval Countersunk
Head Diameter:	0.320 Inches Nominal
Internal Drive Style:	Cross Recess Type 1
Nominal Thread Diameter:	0.164 Inches
Thread Quantity Per Inch:	32
Countersink Angle:	99.0 Degrees Minimum And 101.0 Degrees Maximum
Screw Material:	Steel
Screw Surface Treatment:	Chromium
Thread Series Designator:	Unc
Specification/standard Data:	80205-nas387 Professional/industrial Association Standard

# **How to Order**

Order this screw from our inventory online by visiting <a href="https://military-fasteners.com/screws/machine+screws/NAS387-832-7P">https://military-fasteners.com/screws/machine+screws/NAS387-832-7P</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/screws/machine+screws/NAS387-832-7P">https://military-fasteners.com/screws/machine+screws/NAS387-832-7P</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/screws/machine+screws/NAS387-832-7P">https://military-fasteners.com/screws/machine+screws/NAS387-832-7P</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/screws/machine+screws/nasa87-832-7P">https://military-fasteners.com/screws/nasa87-832-7P</a> and selecting the quantity you want of the property of the propert