

P/N NAS388-10-10P

Description

Fastener Length: 5/8", Thread: 10-32, Thread Length: 1/2"

* Manufacturer certifications are shipped with your order EREE of charge

Order this part online

Additional Information

SKU / Model: NAS3881010P

Minimum Qty (MOQ): 40 EA

NSN: 5305-00-932-0405

Schedule B: 7318.15.6080

ECCN: EAR99



^{*} See page 2 for technical characteristics

P/N NAS388-10-10P Specifications

Thread Class:	2a
Thread Direction:	Right-hand
Thread Length:	0.509 Inches Minimum
Fastener Length:	0.625 Inches Nominal
Head Style:	Oval Countersunk
Head Diameter:	0.372 Inches Nominal
Internal Drive Style:	Cross Recess Type 1
Nominal Thread Diameter:	0.190 Inches
Thread Quantity Per Inch:	32
Countersink Angle:	82.0 Degrees Nominal
Screw Material:	Steel
Screw Surface Treatment:	Chromium
Thread Series Designator:	Unf
Specification/standard Data:	80205-nas388 Professional/industrial Association Standard

How to Order

Order this screw from our inventory online by visiting https://military-fasteners.com/screws/machine+screws/NAS388-10-10P and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/screws/machine+screws/NAS388-10-10P and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/screws/machine+screws/NAS388-10-10P and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/screws/nasa8 are in your cart you can check out https://military-fasteners.com/screws/nasa8 are in your cart you can check out https://military-fasteners.com/screws/nasa8 are in your cart you can check out https://military-fasteners.com/screws/nasa8 are in your cart you can check out https://military-fasteners.com/screws/nasa8 are in your cart you can check out https://military-fasteners.com/screws/nasa8 are in your cart you can check out https://military-fasteners.com/screws/nasa8 are in your cart yo