

Description

length: 0.682", grip: 0.312", thread: 1/2-28, 100°, close tolerance bolt - reduced head short thread - cadmium plated alloy steel - tri-slot recess

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

|                    |                  |
|--------------------|------------------|
| SKU / Model:       | NAS44045         |
| Minimum Qty (MOQ): | 10               |
| NSN:               | 5305-01-627-9343 |



\* See page 2 for technical characteristics

## P/N NAS4404-5 Specifications

|                                  |  |
|----------------------------------|--|
| <b>Thread Class:</b>             | 2a   |
| <b>Thread Direction:</b>         | Right-hand                                     |
| <b>Thread Length:</b>            | 0.370 Inches Nominal                           |
| <b>Fastener Length:</b>          | 0.620 Inches Nominal                           |
| <b>Head Style:</b>               | Flat Countersunk                               |
| <b>Head Diameter:</b>            | 0.508 Inches Nominal                           |
| <b>Grip Diameter:</b>            | 0.2485 Inches Nominal                          |
| <b>Internal Drive Style:</b>     | Tri-wing Recess                                |
| <b>Nominal Thread Diameter:</b>  | 0.25 Inches                                    |
| <b>Grip Length:</b>              | 0.250 Inches Nominal                           |
| <b>Thread Quantity Per Inch:</b> | 28   |
| <b>Countersink Angle:</b>        | 99.0 Degrees Minimum And 101.0 Degrees Maximum |
| <b>Material:</b>                 | Steel Comp 4340 Overall                        |
| <b>Thread Series Designator:</b> | Unf  |

## How to Order

Order this close tolerance screw from our inventory online by visiting <https://military-fasteners.com/screws/close+tolerance+screws/NAS4404-5> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.