

Description

Fastener Length: 1-15/16", Thread: 1/4-28, Thread Length: 11/32"

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

| | |
|--------------------|------------------|
| SKU / Model: | NAS4644A25 |
| Minimum Qty (MOQ): | 5 EA |
| NSN: | 5306-01-467-8133 |
| Schedule B: | 7318.15.8085 |
| ECCN: | EAR99 |

NO IMAGE
AVAILABLE

P/N NAS464-4A25 Specifications

| | |
|---|---|
| Thread Class: | 3a |
| Thread Direction: | Right-hand |
| Thread Length: | 0.344 Inches Nominal |
| Fastener Length: | 1.890 Inches Minimum And 1.937 Inches Maximum |
| Head Style: | Hexagon |
| Head Height: | 0.109 Inches Minimum And 0.141 Inches Maximum |
| Width Between Flats: | 0.428 Inches Minimum And 0.440 Inches Maximum |
| Grip Diameter: | 0.2487 Inches Minimum And 0.2492 Inches Maximum |
| Nominal Thread Diameter: | 0.2500 Inches |
| Grip Length: | 1.552 Inches Minimum And 1.572 Inches Maximum |
| Thread Quantity Per Inch: | 28 |
| Minimum Tensile Strength: | 160000 Pounds Per Square Inch |
| Material: | Steel Comp 4140 Overall Or Steel Comp E4340 Overall Or Steel Comp 6150 Overall Or Steel Comp 8735 Overall Or Steel Comp 8740 Overall Or Steel Comp 4037 Overall |
| Material Document And Classification: | Mil-s-5626 Mil Spec 1st Material Response Overall Or Mil-s-5000 Mil Spec 2nd Material Response Overall Or Mil-s-8503 Mil Spec 3rd Material Response Overall Or Mil-s-6098 Mil Spec 4th Material Response Overall Or Mil-s-6049 Mil Spec 5th Material Response Overall Or Mil-s-8695 Mil Spec All Material Responses Overall |
| Surface Treatment: | Cadmium Threads |
| Surface Treatment: | Chromate Grip |
| Surface Treatment: | Cadmium Head |
| Surface Treatment Document And Classification: | Mil-c-11796 Mil Spec Single Treatment Response Grip Or Mil-c-16173 Mil Spec Single Treatment Response Grip |
| Surface Treatment Document And Classification: | Qq-p-414, Ty li, Cl 2 Fed Spec Single Treatment Response Threads |
| Surface Treatment Document And Classification: | Qq-p-416, Ty li, Cl 2 Fed Spec Single Treatment Response Head |
| Thread Series Designator: | Unf |

How to Order

Order this bolt from our inventory online by visiting <https://military-fasteners.com/bolts/machine+bolts/NAS464-4A25> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.