

**Description**

Hex head, drilled, steel, self locking, NAS509 series nut

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

**Additional Information**

|                         |   |
|-------------------------|---|
| SKU / Model:            | NAS5095                                   |
| Minimum Qty (MOQ):      | 10  |
| NSN:                    | 5310-00-208-3755                          |
| Schedule B:             | 7318.16.0000                              |
| ECCN:                   | EAR99                                     |
| National Motor Freight: | 093486, Bolts,nuts Or Screws, Noi (sub 3) |



## P/N NAS509-5 Specifications

|  |   |
|--|---|
| <b>Thread Class:</b>                         | 3b  |
| <b>Thread Direction:</b>                     | Right-hand  |
| <b>Nut Style:</b>                            | Hexagon   |
| <b>Nut Height:</b>                           | 0.219 Inches Nominal  |
| <b>Drilled Hole Diameter:</b>                | 0.045 Inches Minimum And 0.050 Inches Maximum                 |
| <b>Hole Type And Quantity:</b>               | 3 Drilled   |
| <b>Width Across Flats:</b>                   | 0.490 Inches Minimum And 0.502 Inches Maximum                 |
| <b>Thread Series:</b>                        | Unjf  |
| <b>Thread Quantity Per Inch:</b>             | 24  |
| <b>Hardness Rating:</b>                      | 34.0 Rockwell C Minimum And 38.0 Rockwell C Maximum           |
| <b>Nominal Thread Size:</b>                  | 0.312 Inches  |
| <b>Hole Configuration Style:</b>             | Configuration B   |
| <b>Countersink Angle:</b>                    | 110.0 Degrees Nominal Both Ends                               |
| <b>Bearing Surface Type:</b>                 | Chamfered   |
| <b>Bearing Surface Finish:</b>               | 125.0 Microinches   |
| <b>Material:</b>                             | Steel Comp 4130 Overall                                       |
| <b>Material Document And Classification:</b> | Mil-s-6758,cond F-4 Mil Spec Single Material Response Overall |
| <b>Surface Treatment:</b>                    | Cadmium Overall And Chromate Overall                          |

## How to Order

Order this self-locking hexagon nut from our inventory online by visiting [https://military-fasteners.com/nuts/self\\_locking+hexagon+nuts/NAS509-5](https://military-fasteners.com/nuts/self_locking+hexagon+nuts/NAS509-5) and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.