

## **P/N NAS6306-23D**

### **Description**

Fastener Length: 1-57/64", Thread: 3/8-24, Thread Length: 29/64

\* Manufacturer certifications are shipped with your order FREE of charge

## Order this part online

#### **Additional Information**

SKU / Model: NAS630623D
Minimum Qty (MOQ): 2

NSN: 5306-01-522-0634

Schedule B: 7318.15.8085

ECCN: EAR99

National Motor Freight: 093483, Bolts, nuts Or Screws, noi Iron Or



<sup>\*</sup> See page 2 for technical characteristics

# P/N NAS6306-23D Specifications

Thread Class:	3a
Thread Direction:	Right-hand
Thread Length:	0.454 Inches Nominal
Fastener Length:	1.892 Inches Nominal
Head Style:	Dished Hexagon
Head Height:	0.188 Inches Minimum And 0.203 Inches Maximum
Width Between Flats:	0.554 Inches Minimum And 0.564 Inches Maximum
Grip Diameter:	0.3735 Inches Minimum And 0.3745 Inches Maximum
Shank Unthreaded Hole Diameter:	0.106 Inches Minimum First Hole And 0.116 Inches Maximum First Hole
Nominal Thread Diameter:	0.375 Inches
Grip Length:	1.428 Inches Minimum And 1.448 Inches Maximum
Thread Quantity Per Inch:	24
Minimum Tensile Strength:	160000 Pounds Per Square Inch
Distance From Head Largest Bearing Surface To Shank Hole Center:	1.709 Inches Nominal First Hole
Part Name Assigned By Controlling Agency:	Bolt,tension,hex Head,close Tolerance,a286 Cres,short Thread
Material:	Iron Alloy 660 Overall
Material Document And Classification:	Ams 5731 Assn Std Single Material Response Overall Or Ams 5732 Assn Std Single Material Response Overall Or Ams 5737 Assn Std Single Material Response Overall Or Ams 5853 Assn Std Single Material Response Overall
Surface Treatment:	Cadmium Overall And Chromate Overall
Surface Treatment Document And Classification:	Qq-p-416,type 2.class 2 Fed Std Single Treatment Response Overall
Thread Series Designator:	Unjf

# **How to Order**

Order this machine bolt from our inventory online by visiting <a href="https://military-fasteners.com/bolts/machine+bolts/NAS6306-23D">https://military-fasteners.com/bolts/machine+bolts/NAS6306-23D</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/bolts/machine+bolts/NAS6306-23D">https://military-fasteners.com/bolts/machine+bolts/NAS6306-23D</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/bolts/machine+bolts/NAS6306-23D">https://military-fasteners.com/bolts/machine+bolts/NAS6306-23D</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/bolts/nasenarchine+bolts/NAS6306-23D">https://military-fasteners.com/bolts/nasenarchine+bolts/NAS6306-23D</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/bolts/nasenarchine+bolts/NAS6306-23D">https://military-fasteners.com/bolts/nasenarchine+bolts/NAS6306-23D</a> and selecting the quantity you want the property of the property