

Description

thread: 10-32, self-locking, low height hex nut, with internal wrenching, locknut, NAS679 series nut

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information**Alternate Part Numbers**

[BACN10JC3](#)

| | |
|-------------------------|---|
| SKU / Model: | NAS679A3W |
| Minimum Qty (MOQ): | 25 |
| NSN: | 5310-00-680-4892 |
| Schedule B: | 7318.16.0085 |
| ECCN: | EAR99 |
| National Motor Freight: | 093486, Bolts,nuts Or Screws, Noi (sub 3) |



* See page 2 for technical characteristics

P/N NAS679A3W Specifications

| | |
|---|---|
| Thread Class: | 3b |
| Thread Direction: | Right-hand |
| Locking Feature: | Prevailing Torque All Metal Design |
| Lubrication: | Dry Film Lubricant |
| Nut Style: | Hexagon |
| Nut Height: | 0.188 Inches Maximum |
| End Item Identification: | B-1 Support Equipment; Aircraft;tf-33 Engine |
| Width Across Flats: | 0.365 Inches Minimum And 0.377 Inches Maximum |
| Temp Rating: | 450.0 Deg Fahrenheit Nominal |
| Thread Series: | Unjf |
| Thread Quantity Per Inch: | 32 |
| Nominal Thread Size: | 0.190 Inches |
| Countersink Angle: | 120.0 Degrees Nominal Nut |
| Bearing Surface Type: | Chamfered Or Washer Faced |
| Material: | Steel Overall |
| Surface Treatment: | Cadmium Overall |
| Surface Treatment Document And Classification: | Qq-p-416 Fed Spec Single Treatment Response Overall |
| Specification/standard Data: | 26512-gn10u Manufacturers Standard |

How to Order

Order this self-locking hexagon nut from our inventory online by visiting https://military-fasteners.com/nuts/self_locking+hexagon+nuts/NAS679A3W and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.