

P/N NAS679C6M

Military-Fasteners.com

Description

Thread: 3/8-24, Thread Size: 3/8", Nut Height: 9/32", Head Width: 35/64

* Manufacturer certifications are shipped with your order $\underline{\mathsf{FREE}}$ of charge

Order this part online

Additional Information

| SKU / Model: | NAS679C6M |
|-------------------------|---|
| Minimum Qty (MOQ): | 5 |
| NSN: | 5310-00-816-8100 |
| ECCN: | EAR99 |
| National Motor Freight: | 093486, Bolts,nuts Or Screws, Noi (sub 3) |



P/N NAS679C6M Specifications

| Thread Class: | 3b |
|---------------------------------------|--|
| Thread Direction: | Right-hand |
| Locking Feature: | Prevailing Torque All Metal Design |
| Lubrication: | Dry Film Lubricant |
| Nut Style: | Hexagon |
| Nut Height: | 0.282 Inches Maximum |
| Width Across Flats: | 0.553 Inches Minimum And 0.564 Inches Maximum |
| Temp Rating: | 450.0 Deg Fahrenheit Nominal |
| Thread Series: | Unjf |
| Thread Quantity Per Inch: | 24 |
| Nominal Thread Size: | 0.375 Inches |
| Countersink Angle: | 120.0 Degrees Nominal Nut |
| Bearing Surface Type: | Chamfered Or Washer Faced |
| Material: | Iron Alloy 660 Overall |
| Material Document And Classification: | Ams 5525 Assn Std Single Material Response Overall |

How to Order

Order this self-locking hexagon nut from our inventory online by visiting <u>https://military-fasteners.com/nuts/self_locking+hexagon+nuts/NAS679C6M</u> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out<u>here</u> to complete your order.