

**Description**

NAS9304E-6-05 Blind Rivet

\* Manufacturer certifications are shipped with your order FREE of charge[Order this part online](#)**Additional Information**

SKU / Model:	NAS9304E605
Minimum Qty (MOQ):	5
NSN:	5320-01-529-4451
ECCN:	EAR99
National Motor Freight:	096320, Rivets I / S Nickel Plated Buffed



NO IMAGE  
AVAILABLE

\* See page 2 for technical characteristics

# P/N NAS9304E-6-05 Specifications

<b>Fastener Length:</b>	0.453 Inches Nominal
<b>Head Style:</b>	Universal
<b>Head Height:</b>	0.080 Inches Minimum And 0.090 Inches Maximum
<b>Shank Diameter:</b>	0.200 Inches Minimum And 0.204 Inches Maximum
<b>Head Major Diameter:</b>	0.356 Inches Minimum And 0.394 Inches Maximum
<b>End Item Identification:</b>	F/a-18 Hornet
<b>Grip Length:</b>	0.251 Inches Minimum And 0.312 Inches Maximum
<b>Material:</b>	Aluminum Alloy 5056 Sleeve
<b>Material:</b>	Iron Alloy 660 Grip Or Steel Comp 302 Grip Or Steel Comp 304 Grip Or Steel Comp 305 Grip Or Steel Comp 316 Grip Or Steel Comp 321 Grip Or Steel Comp 347 Grip Or Steel Comp 384 Grip Or Steel Comp 385 Grip
<b>Material:</b>	Iron Alloy 660 Locking Ring Or Steel Comp 304 Locking Ring
<b>Material:</b>	Steel Comp 632 Stem Or Iron Alloy 660 Stem
<b>Material Document And Classification:</b>	Aa-a-430 Fed Spec Single Material Response Sleeve
<b>Material Document And Classification:</b>	Ams-5657 Assn Std Single Material Response Stem Or Ams-5737 Assn Std Single Material Response Stem
<b>Material Document And Classification:</b>	Ams-5731 Assn Std Single Material Response Locking Ring Or Ams-5639 Assn Std Single Material Response Locking Ring
<b>Material Document And Classification:</b>	Ams-5737 Assn Std Single Material Response Grip Or Astm-a493 Assn Std Single Material Response Grip
<b>Surface Treatment:</b>	Cadmium Stem Or Passivate Stem
<b>Surface Treatment:</b>	Chromate Sleeve
<b>Surface Treatment:</b>	Passivate Grip
<b>Surface Treatment:</b>	Passivate Locking Ring
<b>Surface Treatment Document And Classification:</b>	Mil-c-5541 Mil Spec Single Treatment Response Sleeve
<b>Surface Treatment Document And Classification:</b>	Qq-p-35 Fed Spec Single Treatment Response Grip
<b>Surface Treatment Document And Classification:</b>	Qq-p-35 Fed Spec Single Treatment Response Locking Ring
<b>Surface Treatment Document And Classification:</b>	Qq-p-416 Type 1.qq-p-416 Type 1cl 2 Fed Spec Single Treatment Response Stem Or Qq-p-35 Fed Spec Single Treatment Response Stem

## How to Order

Order this blind rivet from our inventory online by visiting <https://military-fasteners.com/rivets/blind+rivets/NAS9304E-6-05> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.