

**Description**

Fastener Length: 1-1/8", Head Width: 1/4"

\* Manufacturer certifications are shipped with your order FREE of charge[Order this part online](#)**Additional Information**

SKU / Model:	PLT21466
Minimum Qty (MOQ):	5 EA
NSN:	5320-01-021-2336
Schedule B:	7318.15.8085
ECCN:	EAR99
National Motor Freight:	106510, Rivets I / S Plain / Galvanized Etc

NO IMAGE  
AVAILABLE

# P/N PLT214-6-6 Specifications

<b>Fastener Length:</b>	1.186 Inches Nominal
<b>Head Style:</b>	Hexagon
<b>Head Height:</b>	0.113 Inches Maximum
<b>Shank Diameter:</b>	0.202 Inches Minimum And 0.203 Inches Maximum
<b>Shank Style:</b>	Threaded Self-plugging Shank W/sleeve
<b>Expansion Device:</b>	Threaded Stem
<b>Lubrication:</b>	Grease Film
<b>Grip Length:</b>	0.396 Inches Minimum And 0.436 Inches Maximum
<b>Width Across Flats:</b>	0.305 Inches Minimum And 0.312 Inches Maximum
<b>Hardness Rating:</b>	39.0 Rockwell C Minimum Overall And 45.0 Rockwell C Maximum Overall
<b>Shear Strength:</b>	5240 Double Pounds Per Square Inch
<b>Material:</b>	Steel Comp 303 Sleeve Or Steel Comp 304 Sleeve Or Steel Comp 303f Sleeve
<b>Material:</b>	Steel Comp 4130 Stem Or Steel Comp 4140 Stem Or Steel Comp 8740 Stem
<b>Material:</b>	Steel Comp 4130 Body Or Steel Comp 4140 Body Or Steel Comp 8740 Body
<b>Material Document And Classification:</b>	Mil-s-6758 Mil Spec 1st Material Response Body Or Mil-s-5626 Mil Spec 2nd Material Response Body Or Mil-s-6049 Mil Spec 3rd Material Response Body
<b>Material Document And Classification:</b>	Mil-s-6758 Mil Spec 1st Material Response Stem Or Mil-s-5626 Mil Spec 2nd Material Response Stem Or Mil-s-6049 Mil Spec 3rd Material Response Stem
<b>Material Document And Classification:</b>	Qq-s-763 Fed Spec 1st Material Response Sleeve Or Qq-s-763 Fed Spec 2nd Material Response Sleeve Or Ams 5639 Assn Std 2nd Material Response Sleeve Or Ams 5641 Assn Std 3rd Material Response Sleeve
<b>Surface Treatment:</b>	Cadmium Body
<b>Surface Treatment:</b>	Cadmium Sleeve
<b>Surface Treatment:</b>	Cadmium Stem
<b>Surface Treatment Document And Classification:</b>	Qq-p-416 Ty 1 Cl 3 Fed Spec Single Treatment Response Sleeve
<b>Surface Treatment Document And Classification:</b>	Qq-p-416 Ty 2 Cl 2 Fed Spec Single Treatment Response Body
<b>Surface Treatment Document And Classification:</b>	Qq-p-416 Ty 2 Cl 2 Fed Spec Single Treatment Response Stem

## How to Order

Order this jo-bolt from our inventory online by visiting <https://military-fasteners.com/bolts/machine+bolts/PLT214-6-6> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.