

Description

Fastener Length: 1/4

* Manufacturer certifications are shipped with your order FREE of charge[Order this part online](#)**Additional Information**

SKU / Model:	SSD42SSBS
Minimum Qty (MOQ):	100
NSN:	5320-00-129-9706
Schedule B:	7318.23.0000
ECCN:	9A991
National Motor Freight:	106510, Rivets I / S Plain / Galvanized Etc

NO IMAGE
AVAILABLE

* See page 2 for technical characteristics

P/N SSD42SSBS Specifications

Fastener Length:	0.222 Inches Minimum And 0.252 Inches Maximum
Head Style:	Universal
Head Height:	0.030 Inches Minimum And 0.040 Inches Maximum
Shank Diameter:	0.125 Inches Nominal
Shank Style:	Self-plugging
Head Major Diameter:	0.238 Inches Minimum And 0.262 Inches Maximum
Expansion Device:	Plain Stem-type T
Grip Length:	0.063 Inches Minimum And 0.125 Inches Maximum
Shear Strength:	485 Single Pounds Per Square Inch
Material:	Steel Comp 1012 Mandrel Or Steel Comp 1013 Mandrel Or Steel Comp 1015 Mandrel Or Steel Comp 1016 Mandrel Or Steel Comp 1017 Mandrel Or Steel Comp 1018 Mandrel Or Steel Comp 1019 Mandrel Or Steel Comp 1020 Mandrel Or Steel Comp 1021 Mandrel Or Steel Comp 1022 Mandrel Or Steel Comp 1023 Mandrel Or Steel Comp 1524 Mandrel Or Steel Comp 1025 Mandrel Or Steel Comp 1045 Mandrel Or Steel Comp 1046 Mandrel Or Steel Comp 1548 Mandrel Or Steel Comp 1049 Mandrel Or Steel Comp 1551 Mandrel Or Steel Comp 1552 Mandrel Or Steel Comp 1053 Mandrel Or Steel Comp 1055 Mandrel Or Steel Comp 1059 Mandrel Or Steel Comp 1060 Mandrel Or Steel Comp 1561 Mandrel Or Steel Comp 1064 Mandrel Or Steel Comp 1065 Mandrel Or Steel Comp 1566 Mandrel Or Steel Comp 1069 Mandrel Or Steel Comp 1070 Mandrel Or Steel Comp 1572 Mandrel Or Steel Comp 1074 Mandrel Or Steel Comp 1075 Mandrel
Material Document And Classification:	Qq-s-763 Fed Spec Single Material Response Body
Material Document And Classification:	Qq-s-763 Fed Spec Single Material Response Mandrel
Surface Treatment:	Passivate Body
Surface Treatment:	Passivate Mandrel
Surface Treatment Document And Classification:	Qq-p-35 Fed Spec Single Treatment Response Body
Surface Treatment Document And Classification:	Qq-p-35 Fed Spec Single Treatment Response Mandrel

How to Order

Order this pop rivet from our inventory online by visiting <https://military-fasteners.com/rivets/blind+rivets/SSD42SSBS> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.