



Military-Fasteners.com

P/N BACN10JZ3A2U

Description

Thread Size: 3/16", Nut Length: 63/64", Nut Height: 5/16"

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

SKU / Model:	BACN10JZ3A2U
Minimum Qty (MOQ):	5 EA
NSN:	5310-01-057-3104
National Motor Freight:	093486, Bolts,nuts Or Screws, Noi (sub 3)



* See page 2 for technical characteristics

P/N BACN10JZ3A2U Specifications

Thread Class:	3b
Thread Direction:	Right-hand
Locking Feature:	Prevailing Torque All Metal Design
Lubrication:	Dry Film Lubricant
Overall Height:	0.660 Inches Nominal
Mounting Hole Diameter:	0.098 Inches Minimum And 0.103 Inches Maximum
Nut Style:	Plate
Nut Length:	0.990 Inches Maximum
Nut Height:	0.320 Inches Maximum
Plate Thickness:	0.020 Inches Nominal
Plate Width:	0.570 Inches Maximum
Nut Mounting Provision:	Straight Holes
Mounting Hole Arrangement Style:	2 Holes
Distance From Aperture Center To Mounting Hole Center:	0.339 Inches Minimum And 0.349 Inches Maximum
Center To Center Distance Between Mounting Holes Along Length:	0.686 Inches Minimum And 0.690 Inches Maximum
Temp Rating:	250.0 Deg Fahrenheit Maximum
Thread Series:	Unjf
Features Provided:	Floating Nut
Thread Quantity Per Inch:	32
Nominal Thread Size:	0.190 Inches
Material:	Steel Comp 1030 Base Or Steel Comp 1033 Base Or Steel Comp 1034 Base Or Steel Comp 1035 Base Or Steel Comp 1536 Base
Material:	Steel Comp 1030 Nut Or Steel Comp 1033 Nut Or Steel Comp 1034 Nut Or Steel Comp 1035 Nut Or Steel Comp 1536 Nut
Material:	Steel Comp 1030 Shell Or Steel Comp 1033 Shell Or Steel Comp 1034 Shell Or Steel Comp 1035 Shell Or Steel Comp 1536 Shell
Material Document And Classification:	Mil-r-6855 Class 1 Grade 60 Mil Spec Single Material Response Seal
Surface Treatment:	Cadmium Base Or Anodize Base Or Chromate Base
Surface Treatment:	Cadmium Nut
Surface Treatment:	Cadmium Shell

Surface Treatment Document And Classification:	Qq-p-416 Class 3 Fed Spec 1st Treatment Response Base Or Mil-a-8625 Mil Spec 2nd Treatment Response Base Or Mil-c-5541 Mil Spec 3rd Treatment Response Base
Surface Treatment Document And Classification:	Qq-p-416 Class 3 Fed Spec Single Treatment Response Nut
Surface Treatment Document And Classification:	Qq-p-416 Class 3 Fed Spec Single Treatment Response Shell
Specification/standard Data:	81205-bacn10jz Manufacturers Standard

How to Order

Order this locknut from our inventory online by visiting https://military-fasteners.com/nuts/clip_on+nuts/BACN10JZ3A2U and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.