

Description

Thread Size: 3/8", Length: 2-1/2

* Manufacturer certifications are shipped with your order FREE of charge[Order this part online](#)**Additional Information**

SKU / Model:	MS211513C
Minimum Qty (MOQ):	1
NSN:	3110-01-337-7894
ECCN:	9A991.d
National Motor Freight:	114820, Bearings / Bushings Noi Ball / Roller

A circular placeholder with a thin grey border containing the text "NO IMAGE AVAILABLE" in all caps.

NO IMAGE
AVAILABLE

P/N MS21151-3C Specifications

Thread Class:	3a
Thread Direction:	Right-hand
Shank Diameter:	0.2990 Inches Nominal
Shank Style:	Externally Threaded W/slot
Overall Length:	2.5150 Inches Nominal
Bore Diameter:	0.1897 Inches Minimum And 0.1900 Inches Maximum
Overall Outside Diameter:	0.9590 Inches Minimum And 0.9790 Inches Maximum
Lubrication Material:	Grease
Shank Thread Length:	1.2820 Inches Minimum And 1.3440 Inches Maximum
Outer Ring Width:	0.3970 Inches Minimum And 0.4170 Inches Maximum
Inner Ring Width:	0.4950 Inches Minimum And 0.5000 Inches Maximum
Length From Bore Center To Shank End:	2.0210 Inches Minimum And 2.0410 Inches Maximum
Alignment Type:	Self-aligning
Self-alignment Location:	External
Internal Clearance:	0.0004 Inches Nominal Radial
Thread Quantity Per Inch:	24
Nominal Thread Size:	0.3750 Inches
Special Features:	Item Has Nas 513 Keyway Slot In Shank
Lubrication Material Document And Classification:	Mil-g-81322 Mil Spec Single Material Response
Material:	Steel Comp E52100 Ballsteel Comp E52100 Inner Racesteel Comp 4130 Outer Race Or Steel Comp 8620 Outer Racesteel Comp 4130 Shell Or Steel Comp 8620 Shell
Material Document And Classification:	Mil-s-7420 Mil Spec Single Material Response Ballmil-s-7420 Mil Spec Single Material Response Inner Racemil-s-6758 Mil Spec 1st Material Response Outer Race Or Mil-s-8690 Mil Spec 2nd Material Response Outer Racemil-s-6758 Mil Spec 1st Material Response Shell Or Mil-s-8690 Mil Spec 2nd Material Response Shell
Surface Treatment:	Cadmium Overall
Surface Treatment Document And Classification:	Qq-p-416,type I,class 2 Fed Spec Single Treatment Response Overall
Style Designator:	Double Row, Ball
Thread Series Designator:	Unjf

How to Order

Order this rod end bearing from our inventory online by visiting <https://military-fasteners.com/bearings/rod+end+bearings/MS21151-3C> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.