

# P/N MS27643-4

## **Description**

heavy duty double row self-aligning anti-friction airframe bearing

\* Manufacturer certifications are shipped with your order FREE of charge

# Order this part online

### **Additional Information**

### **Alternate Part Numbers**

### DSP4FS464

SKU / Model: MS276434

Minimum Qty (MOQ):

NSN: 3110-00-042-1045

ECCN: EAR99

National Motor Freight: 114820, Bearings / Bushings Noi Ball / Roller









# P/N MS27643-4 Specifications

Bore Diameter:	0.2500 Inches Nominal
Overall Outside Diameter:	0.9014 Inches Nominal
Lubrication Material:	Grease
Outer Ring Width:	0.4640 Inches Nominal
Inner Ring Width:	0.6870 Inches Nominal
Seal Quantity:	2
Bearing Seal Type:	Contact
Alignment Type:	Self-aligning
Load Direction:	Radial
Self-alignment Location:	Internal
Standard Tolerance Designation:	Afbma Std Tolerance For Airframe Ball Bearings
Special Features:	80 Pct. Full Of Mil-g-81322,axial Play 0.006 In. Max.,heat Treat Rings And Balls To Rockwell C 60 T0 66 And Stabilized For Operation At 250 Deg.f,10 Deg Self-aligning In Either Direction
Lubrication Material Document And Classification:	Mil-g-81322 Mil Spec Single Material Response
Material:	Plastic Polytetrafluoroethylene Seal
Material:	Steel Comp E51100 Ball Or Steel Comp E52100 Ball
Material:	Steel Comp E52100 Inner Ring
Material:	Steel Comp E52100 Outer Ring
Material:	Steel Corrosion Resisting Retainer
Material:	Steel Comp E51100 Or Steel Comp E52100 Ball
<b>Material Document And Classification:</b>	66 Fed Std All Material Responses Ball
<b>Material Document And Classification:</b>	66 Fed Std Single Material Response Inner Ring
<b>Material Document And Classification:</b>	66 Fed Std Single Material Response Outer Ring
<b>Material Document And Classification:</b>	Ams 3652 Assn Std Single Material Response Seal Or Ams 3666 Assn Std Single Material Response Seal
<b>Material Document And Classification:</b>	Ams 3652 Assn Std Single Material Response Or Ams 3666 Assn Std Single Material Response Seal
Surface Treatment:	Cadmium Exposed Surfaces As Mounted
Surface Treatment Document And Classification:	Qq-p-416,ty 1,cl 2 Fed Spec Single Treatment Response Exposed Surfaces As Mounted
Style Designator:	Double Row, Self Aligning

# **How to Order** Order this airframe ball bearing from our inventory online by visiting <a href="https://military-fasteners.com/bearings/airframe+ball+bearings/MS27643-4">https://military-fasteners.com/bearings/airframe+ball+bearings/MS27643-4</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check outhere to complete your order.