

## P/N NAS1190-04P8N

### **Description**

Fastener Length: 1/2", Thread: 4-40, Thread Length: 1/2"

\* Manufacturer certifications are shipped with your order EREE of charge

## Order this part online

#### **Additional Information**

SKU / Model: NAS119004P8N

Minimum Qty (MOQ): 10 EA

NSN: 5305-00-682-5863

Schedule B: 7318.15.6080

ECCN: EAR99

National Motor Freight: 096640, Screws, Iron Or Steel



<sup>\*</sup> See page 2 for technical characteristics

# P/N NAS1190-04P8N Specifications

Thread Class: 3a	
Thread Direction: Right-h	hand
	Inches Minimum And 0.500 Inches Maximum
-	Inches Minimum And 0.500 Inches Maximum
Head Style: Pan	menes minimum vina 6.500 menes maximum
	Inches Minimum And 0.219 Inches Maximum
	Inches Minimum And 0.080 Inches Maximum
	Threads
-	Recess Type 1
	Inches
	inches
	NO Downdo Dor Coware Inch
	00 Pounds Per Square Inch
	Rockwell C Minimum Overall And 40.0 Rockwell C Maximum Overall
<b>J</b>	Rockwell C Minimum And 40.0 Rockwell C Maximum Overall
	Aicroinches Bearing Surface Of Head
	Aicroinches Threads
lii Part Name Assigned By Controlling Agency: Navy S	Special Project
Material: Steel C	Comp 4140 Overall Or Steel Comp E4340 Overall Or Steel Comp 8740 Overall
Material: Steel C	Comp 4140 Or Steel Comp E4340 Or Steel Comp 8740 Overall
Material Document And Classification:	6626 Mil Spec 1st Material Response Overall Or Mil-s-5000 Mil Spec 2nd Material Response Overall Or Mil-s-6049 ec 3rd Material Response Overall
Material Document And Classification:	6626 Mil Spec 1st Material Response Or Mil-s-5000 Mil Spec 2nd Material Response Or Mil-s-6049 Mil Spec 3rd ial Response Overall
Surface Treatment: Cadmi	ium Overall And Chromate Overall
Surface Treatment Document And Classification: Qq-p-4	416 Ty 2 Cl 2 Fed Spec Single Treatment Response Overall
Thread Series Designator: Unjc	

## **How to Order**

Order this screw from our inventory online by visiting <a href="https://military-fasteners.com/screws/machine+screws/NAS1190-04P8N">https://military-fasteners.com/screws/machine+screws/NAS1190-04P8N</a> and selecting the quantity you want

