

Description

Fastener Length: 1/2", Thread: 10-32, Thread Length: 23/64", pan head, NAS1301 series screw

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

SKU / Model:	NAS1301C108
Minimum Qty (MOQ):	20
NSN:	5305-00-083-6645
ECCN:	EAR99
National Motor Freight:	013680, Alum Screws



\* See page 2 for technical characteristics

# P/N NAS1301C10-8 Specifications

Thread Class:	2a
Thread Direction:	Right-hand
Thread Length:	0.348 Inches Minimum And 0.360 Inches Maximum
Fastener Length:	0.468 Inches Minimum And 0.500 Inches Maximum
Head Style:	Pan
Head Diameter:	0.357 Inches Minimum And 0.373 Inches Maximum
Head Height:	0.122 Inches Minimum And 0.132 Inches Maximum
Washer Quantity:	2
Internal Drive Style:	Cross Recess Type 1
Nominal Thread Diameter:	0.190 Inches
Thread Quantity Per Inch:	32
Secondary Washer Relationship To Primary Washer:	Not Identical
Secondary Washer Style:	Flat
Primary Washer Outside Diameter:	0.337 Inches Nominal
Secondary Washer Outside Diameter:	0.338 Inches Minimum And 0.348 Inches Maximum
Primary Washer Style:	Split Helical Ring
Primary Washer Material Thickness:	0.047 Inches Minimum
Secondary Washer Material Thickness:	0.029 Inches Minimum And 0.035 Inches Maximum
Material:	Steel Comp 301 Primary Washer Or Steel Comp 302 Primary Washer Or Steel Comp 304 Primary Washer Or Steel Comp 316 Primary Washer Or Steel Comp 347 Primary Washer Or Steel Comp 348 Primary Washer
Material:	Steel Comp 301 Secondary Washer Or Steel Comp 302 Secondary Washer Or Steel Comp 304 Secondary Washer Or Steel Comp 316 Secondary Washer Or Steel Comp 347 Secondary Washer Or Steel Comp 348 Secondary Washer
Material:	Steel Comp 303 Fastener Or Steel Comp 303se Fastener
Material Document And Classification:	Mil-s-7720 Mil Spec 1st Material Response Fastener Or Astm A582 Assn Std 2nd Material Response Fastener
Surface Treatment:	Passivate Fastener
Surface Treatment:	Passivate Primary Washer
Surface Treatment:	Passivate Secondary Washer
Thread Series Designator:	Unf
Specification/standard Data:	80205-nas1301 Professional/industrial Association Standard

## How to Order

Order this screw from our inventory online by visiting <https://military-fasteners.com/screws/assembled+washer+screws/NAS1301C10-8> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.