

P/N PLT214-5-2

Description

Fastener Length: 15/64", Head Width: 1/4"

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

SKU / Model: PLT21452
Minimum Qty (MOQ): 5 EA

Millimum Qty (MOQ).

NSN: 5320-00-840-3288

Schedule B: 7318.15.8085

ECCN: EAR99

National Motor Freight: 106510, Rivets I / S Plain / Galvanized Etc



^{*} See page 2 for technical characteristics

P/N PLT214-5-2 Specifications

Fastener Length:	0.215 Inches Minimum And 0.245 Inches Maximum
Head Style:	Hexagon
Head Height:	0.086 Inches Minimum And 0.096 Inches Maximum
Shank Diameter:	0.163 Inches Minimum And 0.164 Inches Maximum
Shank Style:	Threaded Self-plugging Shank W/sleeve
Expansion Device:	Serrated Stem-type W
Lubrication:	Dry Film Or Wax
Grip Length:	0.094 Inches Minimum And 0.156 Inches Maximum
Width Across Flats:	0.244 Inches Minimum And 0.250 Inches Maximum
Minimum Tensile Strength:	180000 Pounds Per Square Inch
Shear Strength:	3355 Double Pounds Per Square Inch
Heat Treatment:	Annealed Overall
Material:	Steel Comp 302 Sleeve Or Steel Comp 303f Sleeve Or Steel Comp 304 Sleeve
Material:	Steel Comp 4130 Nut Or Steel Nut
Material:	Steel Comp 4130 Bolt Or Steel Bolt
Material Document And Classification:	Ams 5636 Assn Std 1st Material Response Sleeve Or Ams 5641 Assn Std 2nd Material Response Sleeve Or Ams 5639 Assn Std 3rd Material Response Sleeve
Material Document And Classification:	Mil-s-6758 Mil Spec 1st Material Response Bolt Or Ams 6407 Assn Std 2nd Material Response Bolt
Material Document And Classification:	Mil-s-6758 Mil Spec 1st Material Response Nut Or Ams 6407 Assn Std 2nd Material Response Nut
Surface Treatment:	Cadmium Bolt
Surface Treatment:	Cadmium Nut And Chromate Nut
Surface Treatment:	Cadmium Sleeve
Surface Treatment Document And Classification:	Qq-p-416,ty 1,cl 3 Fed Spec Single Treatment Response Bolt
Surface Treatment Document And Classification:	Qq-p-416,ty 2,cl 3 Fed Spec Single Treatment Response Nut
Surface Treatment Document And Classification:	Qq-p-416,ty 2,cl 3 Fed Spec Single Treatment Response Sleeve

How to Order

